

Center Name: Marcia Durazo-Acuna			Address: 7409 Purple Cone Rd. SW Albuquerque, NM 87121						Phone: (505)319-9357			
License Number:	Issue Date:	Expiration I	Date:	te: Type: Status:								
165548	03/1/2017	09/29/2017		2 Star + Family Child Care Home				Licensed				
Capacity							Cer	sus				
Over Age 2: 4	Under Age 2:	2 Night	t Care: 0 Playground: 0 Over 2: 3 Under 2:				1					
Days and Hours of Operation												
	<u>Monday</u>	Tuesda	<u>y</u> <u>W</u>	<u>'ednesday</u>	<u>Thursday</u>		Fri	ida <u>y</u>		aturday		<u>Sunday</u>
Opening Times	: 07:00 AM	07:00 A	vI (07:00 AM	07:00 Al	07:00 AM		00 AM		Closed		Closed
Closing Times	: 05:00 PM	05:00 PI	M (05:00 PM	05:00 PI	М	05:00 PM					
# of Classrooms:		Purpose:			Date:				Tim	e:		
1		Other			07/14/2017				10:0	0 AM		
Comments												

This survey is for a change of Capacity. Provider has requested that the garage are of the home be Licensed. The new capacity for this area is 10 children.

BELOW:					
Licensure					
Not Inspected					
Compliance					
Not Inspected					
Administrative Requirements					
Compliance					
Not Inspected					
Not Inspected					
Not Inspected					
Not Inspected					
Not Inspected					
Personnel & Staffing					
Not Inspected					
Not Inspected					
Not Inspected					
Not Inspected					
Not Inspected					
Not Inspected					
Not Inspected					
N/A					
Compliance					

Survey Report Form Page 1 of 3

Center Name:	License Number:	Date:				
Marcia Durazo-Acuna	165548	07/14/2017				
	are of Children					
8.16.2.34 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT			Not Inspected			
8.16.2.34 I EQUIPMENT AND PROGRAM			Compliance			
8.16.2.34 J OUTDOOR PLAY			Not Inspected			
8.16.2.34 K SWIMMING, WADING AND WATER	Not Inspected					
8.16.2.34 L FIELD TRIPS		Not Inspected				
Food	Service					
8.16.2.35 B MEALS AND SNACKS			Not Inspected			
8.16.2.35 C MENUS			Not Inspected			
8.16.2.35 D KITCHENS	Not Inspected					
8.16.2.35 E MEAL TIMES	Not Inspected					
Health & Safety Requirements						
8.16.2.36 A HYGIENE	y rioquiromonic		Not Inspected			
8.16.2.36 B FIRST AID REQUIREMENTS	Not Inspected					
8.16.2.36 C MEDICATION	Not Inspected					
8.16.2.36 D ILLNESS AND NOTIFIABLE DISEASES	Not Inspected					
8.16.2.37 A-G TRANSPORTATION REQUIREMENTS FOR HOMES			Not Inspected			
Buildings, Gr	ounds & Safety					
8.16.2.38 A HOUSEKEEPING	•		Non-compliance			
<u>Deficiencies</u> The premises are not in good repair as evidenced by the flooring is Regulation: 8.16.2.38A(1)	s concrete.					
Corrective Action Plan Repairs will be completed and a system for routine inspection of the be established. Date to be Completed: 08/14/2017	e home and premises will					
8.16.2.38 B PEST CONTROL		Not Inspected				
8.16.2.38 C MECHANICAL SYSTEMS		Not Inspected				
8.16.2.38 D LIGHTING, LIGHTING FIXTURES AND ELECTRICAL	Not Inspected					
8.16.2.38 E EXITS	Compliance					
8.16.2.38 F TOILET AND BATHING FACILITIES	Not Inspected					
8.16.2.38 G SAFETY COMPLIANCE	Compliance					
8.16.2.38 H SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL I	Not Inspected					
8.16.2.38 I PETS			Not Inspected			

Survey Report Form Page 2 of 3

Center Name:	License Number:	Date:
Marcia Durazo-Acuna	165548	07/14/2017

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

PW

12:30

07/14/2017

Michal

07/14/2017

Surveyor:Patricia Williams Date Facility Rep:Marcia Durazo-Acuna Date