



Facility

Name: *Martha Anguiano Junco* License Number: *157107*
 Address: *Albuquerque, NM 87110*
 Phone: *5059108017* Fax: E-mail: *NONE*

License Information

Type: *Child Care Reg. Self-Cert Part* Status: *Registered* Issue Date: *04/02/2018* Expiration Date: *03/31/2019*

Capacity

Over Age 2: *4* Under Age 2: *2* Night Care: *0* Playground: *0*
 Square Footage: *0*

Census

Over 2: *1* Under 2: *2*

Classrooms

Number of Classrooms: *1*

Days and Hours of Operation

Monday 6:00 AM - 6:00 AM	Tuesday 6:00 AM - 6:00 AM	Wednesday 6:00 AM - 6:00 AM	Thursday 6:00 AM - 6:00 AM	Friday 6:00 AM - 6:00 AM
Saturday 6:00 AM - 6:00 AM	Sunday 6:00 AM - 6:00 AM			

Inspection

Date: *01/23/2019* Time In: *9:31 AM* Time Out: *10:00 AM* Purpose: *Follow-up*

Registration

8.17.2.11 A,B Background Checks	<i>Not Inspected</i>
8.17.2.11 C Other Persons Background Checks	<i>Not Inspected</i>
8.17.2.11 E Documentation	<i>Not Inspected</i>
8.17.2.13 Visits by Agency and Registered Authority	<i>Not Inspected</i>
8.17.2.14 A-C Non-Transferability of Registration	<i>Not Inspected</i>
8.17.2.15 A-C Incident Reports	<i>Not Inspected</i>

Record Keeping Requirements

8.17.2.24 Record Keeping Requirements	<i>Compliance</i>
---------------------------------------	-------------------

Caregiver Requirements

8.17.2.10 A Caregiver Reimbursement	<i>Not Inspected</i>
-------------------------------------	----------------------

8.17.2.10 B Age Requirements	<i>Not Inspected</i>
------------------------------	----------------------

8.17.2.10 E,F Caregiver Reporting	<i>Not Inspected</i>
-----------------------------------	----------------------

8.17.2.10 G Primary and Substitute Caregiver Training	<i>Not Inspected</i>
---	----------------------

8.17.2.10 H Primary and Substitute Caregiver Training	<i>Not Inspected</i>
---	----------------------

8.17.2.10 I Primary Caregiver for Infants	<i>Not Inspected</i>
---	----------------------

8.17.2.10 K CPR and First Aid Certification	<i>Not Inspected</i>
---	----------------------

8.17.2.10 L Competency Training	<i>Not Inspected</i>
---------------------------------	----------------------

Group Composition

8.17.2.21 A Non-resident Children	<i>Not Inspected</i>
-----------------------------------	----------------------

8.17.2.21 B Children Under 2	<i>Not Inspected</i>
------------------------------	----------------------

8.17.2.21 C Children Under 6	<i>Not Inspected</i>
------------------------------	----------------------

8.17.2.21 D Drop In Children	<i>Not Inspected</i>
------------------------------	----------------------

8.17.2.21 E Shift Changes	<i>Not Inspected</i>
---------------------------	----------------------

8.17.2.21 F Caregiver Involvement	<i>Not Inspected</i>
-----------------------------------	----------------------

Health & Safety Requirements

8.17.2.22 A Safe Condition	<i>Not Inspected</i>
----------------------------	----------------------

8.17.2.22 B,C Electrical Outlets	<i>Not Inspected</i>
----------------------------------	----------------------

8.17.2.22 D Temperature	<i>Not Inspected</i>
-------------------------	----------------------

8.17.2.22 E Ventilation	<i>Not Inspected</i>
-------------------------	----------------------

8.17.2.22 F Heaters and Heating Units	<i>Not Inspected</i>
---------------------------------------	----------------------

8.17.2.22 G Hot and Cold Running Water	<i>Compliance</i>
--	-------------------

8.17.2.22 H,I,J Inside and Outside Play Areas	<i>Compliance</i>
---	-------------------

8.17.2.22 K Storage of Dangerous Materials	<i>Not Inspected</i>
--	----------------------

8.17.2.22 L Working Telephone	<i>Not Inspected</i>
-------------------------------	----------------------

Health & Safety Requirements (*continued*)

8.17.2.22 M Emergency Numbers	<i>Not Inspected</i>
8.17.2.22 N Smoke / Carbon Monoxide Detector	<i>Not Inspected</i>
8.17.2.22 O,P Firearm Safety/Storage	<i>N/A</i>
8.17.2.22 Q. Smoking, Alcohol, and Illegal Drug Use	<i>Not Inspected</i>
8.17.2.22 R Fire Extinguisher	<i>Not Inspected</i>
8.17.2.22 S Combustible and Flammable Materials	<i>Not Inspected</i>
8.17.2.22 T Emergency Evacuation and Disaster Preparedness Plan	<i>Not Inspected</i>
8.17.2.22 U Major Exits	<i>Not Inspected</i>
8.17.2.22 V Toys, Objects and Crib Standards	<i>Not Inspected</i>
8.17.2.22 W Toilet Rooms	<i>Not Inspected</i>
8.17.2.22 X First Aid Kit	<i>Not Inspected</i>
8.17.2.22 Y Pets	<i>Compliance</i>
8.17.2.22 Z Diaper Changing	<i>Not Inspected</i>
8.17.2.22 AA Transportation	<i>N/A</i>

Meal Requirements

8.17.2.23 H Refrigeration	<i>Not Inspected</i>
8.17.2.23 I Refrigerator Thermometers	<i>Not Inspected</i>

Caregiver's Responsibilities


8.17.2.25 A,B Supervision	<i>Not Inspected</i>
8.17.2.25 C Guidance	<i>Not Inspected</i>
8.17.2.25 D Policies and Procedures for Expulsion	<i>Not Inspected</i>
8.17.2.25 E Activities and Experiences	<i>Not Inspected</i>
8.17.2.25 F Caring for Infants	<i>Not Inspected</i>
8.17.2.25 G Rest Periods	<i>Not Inspected</i>
8.17.2.25 H Swimming, Wading and Water	<i>Not Inspected</i>

Additional Comments


F/U FROM ANNUAL VISIT 1/15/2019

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.



Surveyor: *Angelica Vanchaik*



Facility Representative: *Martha Anguiano Junco*