Facility

Name: Martha Anguiano Junco License Number: 157107

Address: Albuquerque, NM 87110

License Information

Type: Child Care Req. Self- Status: Registered Issue Date: 04/01/2019 Expiration Date:

Cert Part 03/31/2020

Capacity

Over Age 2: 4 Under Age 2: 2 Night Care: Playground:

Square Footage: 0

Census

Over 2: 2 Under 2: 1

Classrooms

Number of Classrooms: 1

Days and Hours of Operation

Monday Tuesday Wednesday Thursday Friday

6:00 AM - 6:00 AM

Saturday Sunday

6:00 AM - 6:00 AM 6:00 AM - 6:00 AM

Inspection

Date: 05/01/2019 Time In: 10:23 AM Time Out: 11:18 AM Purpose: Follow-up

Registration

8.17.2.11 A,B Background Checks

Not Inspected

8.17.2.11 C Other Persons Background Checks

Not Inspected

8.17.2.11 E Documentation Not Inspected

8.17.2.13 Visits by Agency and Registered Authority

Not Inspected

8.17.2.14 A-C Non-Transferability of Registration Not Inspected

8.17.2.15 A-C Incident Reports Not Inspected

Martha Anguiano Junco 157107

8.17.2.24 Record Keeping Requirements	Compliance
Caregiver Requirements	
8.17.2.10 A Caregiver Reimbursement	Not Inspected
8.17.2.10 B Age Requirements	Not Inspected
8.17.2.10 E,F Caregiver Reporting	Not Inspected
8.17.2.10 G Primary and Substitute Caregiver Training	Not Inspected
8.17.2.10 H Primary and Substitute Caregiver Training	Not Inspected
8.17.2.10 I Primary Caregiver for Infants	Not Inspected
8.17.2.10 K CPR and First Aid Certification	Not Inspected
8.17.2.10 L Competency Training	Not Inspected
Group Composition	
8.17.2.21 A Non-resident Children	Not Inspected
8.17.2.21 B Children Under 2	Not Inspected
8.17.2.21 C Children Under 6	Not Inspected
8.17.2.21 D Drop In Children	Not Inspected
8.17.2.21 E Shift Changes	Not Inspected
8.17.2.21 F Caregiver Involvement	Not Inspected
Health & Safety Requirements	
8.17.2.22 A Safe Condition	Not Inspected
8.17.2.22 B,C Electrical Outlets	Not Inspected
8.17.2.22 D Temperature	Not Inspected
8.17.2.22 E Ventilation	Not Inspected
8.17.2.22 F Heaters and Heating Units	Not Inspected
8.17.2.22 G Hot and Cold Running Water	Not Inspected
8.17.2.22 H,I,J Inside and Outside Play Areas	Not Inspected
8.17.2.22 K Storage of Dangerous Materials	Not Inspected
8.17.2.22 L Working Telephone	Not Inspected

Martha Anguiano Junco 157107

Health & Safety Requirements (continued)	
8.17.2.22 M Emergency Numbers	Not Inspected
8.17.2.22 N Smoke / Carbon Monoxide Detector	Not Inspected
8.17.2.22 O,P Firearm Safety/Storage	Not Inspected
8.17.2.22 Q. Smoking, Alcohol, and Illegal Drug Use	Not Inspected
8.17.2.22 R Fire Extinguisher	Not Inspected
8.17.2.22 S Combustible and Flammable Materials	Not Inspected
8.17.2.22 T Emergency Evacuation and Disaster Preparedness Plan	Not Inspected
8.17.2.22 U Major Exits	Not Inspected
8.17.2.22 V Toys, Objects and Crib Standards	Not Inspected
8.17.2.22 W Toilet Rooms	Not Inspected
8.17.2.22 X First Aid Kit	Not Inspected
8.17.2.22 Y Pets	Compliance
8.17.2.22 Z Diaper Changing	Not Inspected
8.17.2.22 AA Transportation	Not Inspected
Meal Requirements	
8.17.2.23 H Refrigeration	Not Inspected
8.17.2.23 Refrigerator Thermometers	Not Inspected
Caregiver's Responsibilities	
8.17.2.25 A,B Supervision	Not Inspected
8.17.2.25 C Guidance	Not Inspected
8.17.2.25 D Policies and Procedures for Expulsion	Not Inspected
8.17.2.25 E Activities and Experiences	Not Inspected
8.17.2.25 F Caring for Infants	Not Inspected
8.17.2.25 G Rest Periods	Not Inspected
8.17.2.25 H Swimming, Wading and Water	Not Inspected

Martha Anguiano Junco 157107

Additional Comments

F/U TO OTHER FROM 04/02/2019. TALKED TO PROVIDER ABOUT HER DAUGHTER BECOMING HER SUB. I LET PROVIDER KNOW DAUGHTER CAN NOT CARE FOR CHILD CARE CHILDREN OR BE LEFT ALONE WITH CHILD CARE CHILDREN UNTIL WE VERIFY ALL DOCUMENTS. I WILL LET PROVIDER KNOW I WOULD LET HER KNOW ONCE I HAVE MORE INFORMATION IN DAUGHTER IN BECOMING HER SUB. PROVIDER STATED SHE UNDERSTANDS.

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Surveyor: Angelica Vanchaik

Ingelica Vanchail

Facility Representative: Martha Anguiano Junco