



Facility

Name: *Melissa George* License Number: *166657*
 Address: *2024 Cameo St., Clovis, NM 88101*
 Phone: *5757912940* Fax: E-mail: *Msunshine16@yahoo.com*

License Information

Type: *2 Star + Group Child Care Home* Status: *Licensed* Issue Date: *04/04/2018* Expiration Date: *04/03/2019*

Capacity

Over Age 2: *8* Under Age 2: *4* Night Care: *0* Playground: *0*
 Square Footage: *420*

Census

Over 2: *6* Under 2: *2*

Classrooms

Number of Classrooms: *2*

Days and Hours of Operation

Monday <i>7:00 AM - 8:00 PM</i>	Tuesday <i>7:00 AM - 8:00 PM</i>	Wednesday <i>7:00 AM - 8:00 PM</i>	Thursday <i>7:00 AM - 8:00 PM</i>	Friday <i>7:00 AM - 8:00 PM</i>
Saturday <i>Closed</i>	Sunday <i>Closed</i>			

Inspection

Date: *12/07/2018* Time In: *10:15 AM* Time Out: *10:45 AM* Purpose: *Follow-up*

Licensure

- 8.16.2.31 A Licensing Requirements *Not Inspected*
- 8.16.2.31 B Capacity of a Home *Not Inspected*
- 8.16.2.31 C Incident Reporting Requirements *Not Inspected*

Administrative Requirements

- 8.16.2.32 A Administrative Records *Not Inspected*
- 8.16.2.32 B Mission, Philosophy and Curriculum Statement *Not Inspected*
- 8.16.2.32 C Parent Handbook *Not Inspected*
- 8.16.2.32 D Children's Records *Not Inspected*

Administrative Requirements (*continued*)

8.16.2.32 E Personnel Records	<i>Not Inspected</i>
8.16.2.32 F Personnel Handbook	<i>Not Inspected</i>

Personnel & Staffing

8.16.2.33 A Personnel and Staffing Requirements	<i>Not Inspected</i>
8.16.2.33 B Staff Qualifications and Training	<i>Not Inspected</i>

Services & Care of Children

8.16.2.34 A Guidance	<i>Not Inspected</i>
8.16.2.34 B Naps or Rest Period	<i>Not Inspected</i>
8.16.2.34 C Additional Requirements for Infants and Toddlers	<i>Not Inspected</i>
8.16.2.34 D Diapering and Toileting	<i>Not Inspected</i>
8.16.2.34 E Additional Requirements for Children with Special Needs	<i>Not Inspected</i>
8.16.2.34 F Night Care	<i>Not Inspected</i>
8.16.2.34 G Physical Environment	<i>Not Inspected</i>
8.16.2.34 H Social-Emotional Responsive Environment	<i>Not Inspected</i>
8.16.2.34 I Equipment and Program	<i>Not Inspected</i>
8.16.2.34 J Outdoor Play	<i>Not Inspected</i>
8.16.2.34 K Swimming, Wadding and Water	<i>Not Inspected</i>
8.16.2.34 L Field Trips	<i>Not Inspected</i>

Food Service

8.16.2.35 B Meals and Snacks	<i>Not Inspected</i>
8.16.2.35 C Menus	<i>Not Inspected</i>
8.16.2.35 D Kitchens	<i>Not Inspected</i>
8.16.2.35 E Meal Times	<i>Not Inspected</i>

Health & Safety Requirements

8.16.2.36 A Hygiene	<i>Not Inspected</i>
8.16.2.36 B First Aid Requirements	<i>Not Inspected</i>
8.16.2.36 C Medication	<i>Not Inspected</i>

Health & Safety Requirements (*continued*)

8.16.2.36 D Illness and Notifiable Diseases	<i>Not Inspected</i>
8.16.2.37 A-G Transportation Requirements for Homes	<i>Not Inspected</i>

Buildings, Grounds & Safety

8.16.2.38 A Housekeeping	<i>Not Inspected</i>
8.16.2.38 B Pest Control	<i>Not Inspected</i>
8.16.2.38 C Mechanical Systems	Non-compliance

Water coming from a faucet was not below 110 degrees (Fahrenheit).

Temperature measured at 120 degrees (Fahrenheit).

Corrective Action Plan

The home will ensure water coming from faucets is below 110 degrees (Fahrenheit) by installing a tempering valve ahead of all domestic water-heater piping.

Regulation: 8.16.2.38.C.5.

Date to be Completed: 01/06/2019

8.16.2.38 D Lighting, Lighting Fixtures and Electrical	<i>Not Inspected</i>
8.16.2.38 E Exits	<i>Not Inspected</i>
8.16.2.38 F Toilet and Bathing Facilities:	<i>Not Inspected</i>
8.16.2.38 G Safety Compliance	<i>Not Inspected</i>
8.16.2.38 H Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances	<i>Not Inspected</i>
8.16.2.38 I Pets	<i>Not Inspected</i>

Additional Comments

None

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.



Surveyor: *Rebecca Garcia*



Facility Representative: *Veronica Acosta*