

Facility					
Name: Midwest NMCAP			License Number: 9	4709	
Address: 310 E. Malone	y, Gallup, NM 87301				
Phone: 5057227428	Fax:	E-mail: dca	sias@ourkidzrock	c.com	
License Information					
Type : 2 Star Child Care Center	Status: Licensed	Issue Date:	11/16/2018	Expiration Date: 11/15/2019	
Capacity					
Over Age 2: 160 Square Footage: 0	Under Age 2:	Night Care	:	Playground: 150	
Census					
Over 2: 123	Under 2 : <i>0</i>				
Classrooms					
Number of Classroom	s: 7				
Days and Hours of Opera	tion				
Monday 8:00 AM - 5:30 PM	Tuesday 8:00 AM - 5:30 PM	Wednesday 8:00 AM - 5:30 PM	Thursday 8:00 AM - 5:30		·
Saturday Closed	Sunday Closed				
Inspection					
Date: 03/19/2019	Time In: 10:14 AM	Time Out: 2	2:00 PM	Purpose: Semi-Ann	ual
Licensure					
8.16.2.11 A Types of Licenses Compliance					
8.16.2.11 B Renewal of License N/A					
8.16.2.11 D Non-transferable Restrictions of License N/A					
8.16.2.12 A, K, M Licensing Actions and Administrative Appeals Complian					Compliance
8.16.2.17 E, F Surveys for Child Care Facilities Comp					Compliance
8.16.2.18 D Complaints Comp					
8.16.2.21 A Licensing Requirements					Compliance
8.16.2.21 B Capacity of Centers Compl					

Administrative Requirements (continued)	
8.16.2.21 C Incident Reporting Requirements	Compliance
Administrative Requirements	
8.16.2.22 A Administrative Records	Compliance
8.16.2.22 B Mission, Philosophy and Curriculum Statemer	nt Not Inspected
8.16.2.22 C Policy and Procedures	Not Inspected
8.16.2.22 D Family Handbook	Not Inspected
8.16.2.22 E Children's Records	Non-compliance
Of the 10 children's records reviewed, 1 is missing a copy health division approved exemption. See Children's Reco immunization/exemption. Corrective Action Plan Parents will be advised to submit a complete and up-to will review all children's records to ensure complete infor	ords 8.16.2.22 form for the child(ren) with no -date immunization record or exemption. The center
Regulation: 8.16.2.22.E.1.e.	Date to be Completed: 04/18/2019
8.16.2.22 F Personnel Records	Non-compliance
From the review of staff records, it was determined that documentation of current first-aid and cardiopulmonary form for staff without verification of training.	
Corrective Action Plan The center will obtain documentation of first-aid and Cl	PR training and retain on file.
Regulation: 8.16.2.22.F.1.g.	Date to be Completed: 04/18/2019
8.16.2.22 G Personnel Handbook	Not Inspected
Personnel & Staffing	
8.16.2.23 A Personnel and Staffing Requirements	Compliance

8.16.2.23 B Staff Qualifications and Training

8.16.2.23 C Staff/Child Ratios and Group Sizes

Services & Care of Children

8.16.2.24 A Guidance

Compliance

Compliance

Services & Care of Children (continued)	
8.16.2.24 B Naps or Rest Period	Compliance
8.16.2.24 C Additional Requirements for Infants and Toddlers	N/A
8.16.2.24 D Diapering and Toileting	Compliance
8.16.2.24 E Additional Requirements for Children with Special Needs	N/A
8.16.2.24 F Additional Requirements for Night Care	N/A
8.16.2.24 G Physical Environment	Compliance
8.16.2.24 H Social-Emotional Responsive Environment	Compliance
8.16.2.24 I Equipment and Program	Compliance
8.16.2.24 J Outdoor Play Areas	Compliance
8.16.2.24 K Swimming, Wading and Water	N/A
8.16.2.24 L Field Trips	Not Inspected
Food Service	
8.16.2.25 B Meals and Snacks	Compliance
8.16.2.25 C Menus	Compliance
8.16.2.25 D Kitchens	Non-compliance
The refrigerator temperature in the kitchen is not below 41 degrees Fahren	nheit.
Corrective Action Plan The center will lower the refrigerator gauge and monitor temperature .	
Regulation: <i>8.16.2.25.D.6.</i>	Date to be Completed: 04/18/2019
8.16.2.25 E Meal Times	Compliance
Health & Safety Requirements	
8.16.2.26 A Hygiene	Compliance
8.16.2.26 B First Aid Requirements	Compliance
8.16.2.26 C Medication	Not Inspected
8.16.2.27 A-D Illness Requirements for Centers	Compliance
8.16.2.28 A-H Transportation Requirements for Centers	Not Inspected

Midwest NMCAP Gallup Head Start	94709
Buildings, Grounds & Safety	
8.16.2.29 A Housekeeping	Compliance
8.16.2.29 B Pest Control	Not Inspected
8.16.2.29 C Mechanical Systems	Compliance
8.16.2.29 D Water and Waste	Compliance
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	Compliance
8.16.2.29 F Exits and Windows	Compliance
8.16.2.29 G Toilet and Bathing Facilities	Compliance
8.16.2.29 H Safety Compliance	Compliance
8.16.2.29 H3(f)(i)(k) Safety Compliance	Compliance
8.16.2.29 J Pets	Compliance
Additional Comments	

Well maintained center. Great interaction between staff and children!

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Surveyor: Nicole Denney

Facility Representative: Duane Casias