

Center Name: Monte Vista Day Nursery			Address: 3208 Monte Vista NE Albuquerque, NM 87106				Phone: (505)255	Phone: (505)255-3655	
License Number: Issue Date: Expiration		ate: Type: Status:			<u> </u>				
10377	01/17/2017	01/16/2018		2 Star Chil	d Care Center		Licensed		
Capacity				-		C	ensus		
Over Age 2: 45	Under Age 2:	5 Night	Care:	0 F	layground: 50	O	ver 2:	22 U	nder 2: 5
Days and Hours of Operation									
	<u>Monday</u>	Tuesda	<u>y</u> <u>W</u>	<u>ednesday</u>	Thursday	<u>F</u>	<u>riday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	07:00 AM	07:00 Al	VI (07:00 AM	07:00 AM	07:	00 AM	Closed	Closed
Closing Times	05:30 PM	05:30 PI	M (05:30 PM	05:30 PM	05:	30 PM		
# of Classrooms:		Purpose:			Date:			Time:	
4	:	Semi-Annual			07/07/2017			11: AM	
Comments									

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:				
Licensure				
8.16.2.11 A TYPES OF LICENSES	Not Inspected			
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected			
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected			
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected			
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Compliance			
8.16.2.18 D COMPLAINTS	Not Inspected			
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected			
8.16.2.21 B CAPACITY OF CENTERS	Compliance			
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected			
Administrative Requirements				
8.16.2.22 A ADMINISTRATION RECORDS	Not Inspected			
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected			
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected			
8.16.2.22 D FAMILY HANDBOOK	Not Inspected			
8.16.2.22 E CHILDREN'S RECORDS	Compliance			
8.16.2.22 F PERSONNEL RECORDS	Non-compliance			

Survey Report Form Page 1 of 3

Center Name:	License Number:	Date:	
Monte Vista Day Nursery	10377	07/07/2017	

Administrative Requirements

Deficiencies

From the review of staff records, it was determined that 1 out of 2 staff records does/do not include a background check. See Staff Records 8.16.2.22 form for staff with this missing information.

Regulation: 8.16.2.22F(1)(e)

Corrective Action Plan

The center will obtain documentation of a background check.

Date to be Completed: 07/10/2017

Date to be completed. 07710/2017				
8.16.2.22 G PERSONNEL HANDBOOK	Compliance			
Personnel & Staffing				
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance			
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Compliance			
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance			
Services & Care of Children				
8.16.2.24 A GUIDANCE	Not Inspected			
8.16.2.24 B NAPS OR REST PERIOD	Compliance			
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS	Compliance			
8.16.2.24 D DIAPERING AND TOILETING	Compliance			
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS	Not Inspected			
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE	N/A			
8.16.2.24 G PHYSICAL ENVIRONMENT	Not Inspected			
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT	Not Inspected			
8.16.2.24 I EQUIPMENT AND PROGRAM	Compliance			
8.16.2.24 J OUTDOOR PLAY AREAS	Compliance			
8.16.2.24 K SWIMMING, WADING AND WATER	Not Inspected			
8.16.2.24 L FIELD TRIPS	Not Inspected			
Food Service				
8.16.2.25 B MEALS AND SNACKS	Compliance			
8.16.2.25 C MENUS	Compliance			
8.16.2.25 D KITCHENS	Compliance			
8.16.2.25 E MEAL TIMES	Compliance			
Health & Safety Requirements				
8.16.2.26 A HYGIENE	Compliance			
8.16.2.26 B FIRST AID REQUIREMENTS	Not Inspected			
8.16.2.26 C MEDICATION	Not Inspected			
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS	Compliance			

Survey Report Form Page 2 of 3

Center Name: Monte Vista Day Nursery	License Number:	Date: 07/07/2017			
Health & Safety Re					
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS	quiromonio		Not Inspected		
Buildings, Grounds & Safety					
8.16.2.29 A HOUSEKEEPING			Non-compliance		
<u>Deficiencies</u> The furniture in the 2's and 3's room are not safe in that the yellow wood Regulation: 8.16.2.29A(1)	en crib is broken.				
Corrective Action Plan The safety violation will be corrected and a system for routine safety insp Date to be Completed: 08/07/2017	pection developed.				
<u>Deficiencies</u> The Equipment are not in good repair as evidenced by the metal slide is Regulation: 8.16.2.29A(1)	too hot.				
Corrective Action Plan Repairs will be completed and a system for routine inspection of the cen will be established. The staff checks the slide before giving permission use the slide. there is an umbrella available if children want to use the sl Date to be Completed: 08/07/2017					
8.16.2.29 B PEST CONTROL			Compliance		
8.16.2.29 C MECHANICAL SYSTEMS			Compliance		
8.16.2.29 D WATER AND WASTE			Compliance		
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL			Compliance		
8.16.2.29 F EXITS AND WINDOWS			Compliance		
8.16.2.29 G TOILET AND BATHING FACILITIES			Compliance		
8.16.2.29 H SAFETY COMPLIANCE	Compliance				
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS	ES	Compliance			
8.16.2.29 J PETS			N/A		

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

07/07/2017

07/07/2017

Surveyor: Darlene Montoya

Date

Facility Rep:Barbara Guana Trujillo

Page 3 of 3

Date