

Center Name: Monte Vista Day Nursery			Address: 3208 Monte Vista NE Albuquerque, NM 87106					Phone: (505)255-3655		
License Number:	Issue Date:	Expiration	Date:	ate: Type: Status:			Status:	•		
10377	01/17/2017	01/16/2018		2 Star Child Care Center Licensed			Licensed			
Capacity				-		Cei	nsus			
Over Age 2: 45	Under Age 2:	5 Night	Care:	0 P	layground: 50	Over 2: 13		13	Under 2:	5
Days and Hours of	Operation									
	<u>Monday</u>	Tuesda	<u>w</u>	/ednesday	<u>Thursday</u>	<u>Friday</u>		Sati	<u>urday</u>	<u>Sunday</u>
Opening Times	07:00 AM	07:00 Al	M (07:00 AM	07:00 AM	07:00 AM		Clo	osed	Closed
Closing Times	: 05:30 PM	05:30 PI	M (05:30 PM	05:30 PM	05:30 PM				
# of Classrooms:	P	urpose:			Date:			Time:		
4	A	nnual			11/15/2017			10:45 A	AM	
Comments The provider is not t	ransporting at this	time.								

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW: Licensure 8.16.2.11 A TYPES OF LICENSES Not Inspected 8.16.2.11 B RENEWAL OF LICENSE Not Inspected 8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE Not Inspected Not Inspected 8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS Compliance 8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES 8.16.2.18 D COMPLAINTS Not Inspected **8.16.2.21 A LICENSING REQUIREMENTS** Not Inspected 8.16.2.21 B CAPACITY OF CENTERS Compliance 8.16.2.21 C INCIDENT REPORTING REQUIREMENTS Not Inspected **Administrative Requirements** 8.16.2.22 A ADMINISTRATION RECORDS Compliance 8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT Compliance 8.16.2.22 C POLICY AND PROCEDURES Compliance Compliance 8.16.2.22 D FAMILY HANDBOOK 8.16.2.22 E CHILDREN'S RECORDS Compliance Non-compliance 8.16.2.22 F PERSONNEL RECORDS

Survey Report Form Page 1 of 5

Center Name:License Number:Date:Monte Vista Day Nursery1037711/15/2017

Administrative Requirements

Deficiencies

From the review of staff records, it was determined that 5 out of 5 staff records does/do not include a professional development plan based on seven areas of competency. See Staff Records 8.16.2.22 form for staff who need a current plan.

Regulation: 8.16.2.22F(1)(n)

Corrective Action Plan

The center will have staff complete a professional development plan and sign the plan $\,$. The plan will be maintained on file.

Date to be Completed: 12/15/2017

8.16.2.22 G PERSONNEL HANDBOOK	Compliance
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Non-compliance
<u>Deficiencies</u>	
The child(ren) in the Combination Class infant/toddler room(s) was/were left unattended	
when a child was left asleep on a mat as an educator walked with the other 4 children to	
take the booster chairs to the eating area.	
Regulation: 8.16.2.23A(9)	
Corrective Action Plan	
Requirements for supervision of children whether inside or outside the facility will be	
reviewed with staff.Corrected on site and Provider will store the booster chairs in the	
eating area.	
Date to be Completed: 12/15/2017	
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Non-compliance
<u>Deficiencies</u>	
Educators did not complete the following training within 3-months: Health and Safety Training	
Regulation: 8.16.2.23B(2)(b)	
Corrective Action Plan	
All educators, regardless of the number of hours per week, will complete the above listed training.	
The following staff members need to complete the required training:	
Date to be Completed: 12/15/2017	
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance
Services & Care of Children	
8.16.2.24 A GUIDANCE	Compliance
8.16.2.24 B NAPS OR REST PERIOD	Compliance
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS	Non-compliance
<u>Deficiencies</u>	
Pillows are used in cribs. Boppy pillows are being stored on the edge of the crib.	
Regulation: 8.16.2.24C(2)	
Corrective Action Plan	
Staff will be instructed to not place any pillows in cribs.	
Date to be Completed: 12/15/2017	

Survey Report Form Page 2 of 5

of Children EEDS	11/15/2017						
EEDS		·					
EEDS		Compliance					
	8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS						
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE							
		Compliance					
		Compliance					
		Compliance					
		Compliance					
		Not Inspected					
		Not Inspected					
rvice	,						
		Compliance					
		Compliance					
		Non-compliance					
Deficiencies A drink is not properly stored; the item is not labeled and dated.Baby bottles and sippy cups not labeled. Regulation: 8.16.2.25D(4) Corrective Action Plan The person responsible for food service will be instructed in proper food storage. Date to be Completed: 12/15/2017							
		Compliance					
Requirements							
		Compliance					
		Compliance					
		N/A					
		Compliance					
		N/A					
Buildings, Grounds & Safety							
		Non-compliance					
	od storage. Requirements	cottles and sippy cups and storage. Requirements ands & Safety arece to the loft is					

Survey Report Form Page 3 of 5

Center Name:License Number:Date:Monte Vista Day Nursery1037711/15/2017

Buildings, Grounds & Safety

Deficiencies

The Before/After School classroom has a heavy accumulation of storage.

Regulation: 8.16.2.29A(1)

Corrective Action Plan

A routine will be established to assess all areas of the premises for cleanliness, safety and potential hazards.

Date to be Completed: 12/15/2017

Deficiencies

The Premises are not in good repair as evidenced by the blue boat sandbox on the playground is cracked.

Regulation: 8.16.2.29A(1)

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises will be established.

Date to be Completed: 12/15/2017

Deficiencies

The Premises are not in good repair as evidenced by the latch to the gate on the toddler playground is loose.

Regulation: 8.16.2.29A(1)

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises will be established.

Date to be Completed: 12/15/2017

Deficiencies

The Toys are not in good repair as evidenced by the basket ball net on the toddler playground is in disrepair.

Regulation: 8.16.2.29A(1)

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises will be established.

Date to be Completed: 12/15/2017

8.16.2.29 C MECHANICAL SYSTEMS Compliance 8.16.2.29 D WATER AND WASTE Compliance 8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL Deficiencies Electrical outlets within reach of children in the before/after school classroom are not safety outlets and they do not have protective covers. Regulation: 8.16.2.29E(3)(b) Corrective Action Plan Protective covers will be added. Date to be Completed: 12/15/2017		
8.16.2.29 D WATER AND WASTE 8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL Deficiencies Electrical outlets within reach of children in the before/after school classroom are not safety outlets and they do not have protective covers. Regulation: 8.16.2.29E(3)(b) Corrective Action Plan Protective covers will be added. Date to be Completed: 12/15/2017	8.16.2.29 B PEST CONTROL	Compliance
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL Deficiencies Electrical outlets within reach of children in the before/after school classroom are not safety outlets and they do not have protective covers. Regulation: 8.16.2.29E(3)(b) Corrective Action Plan Protective covers will be added. Date to be Completed: 12/15/2017	8.16.2.29 C MECHANICAL SYSTEMS	Compliance
Deficiencies Electrical outlets within reach of children in the before/after school classroom are not safety outlets and they do not have protective covers. Regulation: 8.16.2.29E(3)(b) Corrective Action Plan Protective covers will be added. Date to be Completed: 12/15/2017	8.16.2.29 D WATER AND WASTE	Compliance
Electrical outlets within reach of children in the before/after school classroom are not safety outlets and they do not have protective covers. Regulation: 8.16.2.29E(3)(b) Corrective Action Plan Protective covers will be added. Date to be Completed: 12/15/2017	8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL	Non-compliance
outlets and they do not have protective covers. Regulation: 8.16.2.29E(3)(b) Corrective Action Plan Protective covers will be added. Date to be Completed: 12/15/2017	<u>Deficiencies</u>	
Regulation: 8.16.2.29E(3)(b) Corrective Action Plan Protective covers will be added. Date to be Completed: 12/15/2017	Electrical outlets within reach of children in the before/after school classroom are not safety	
Corrective Action Plan Protective covers will be added. Date to be Completed: 12/15/2017	outlets and they do not have protective covers.	
Protective covers will be added. Date to be Completed: 12/15/2017	Regulation: 8.16.2.29E(3)(b)	
Date to be Completed: 12/15/2017	Corrective Action Plan	
	Protective covers will be added.	
8.16.2.29 F EXITS AND WINDOWS Non-compliance	Date to be Completed: 12/15/2017	
	8.16.2.29 F EXITS AND WINDOWS	Non-compliance

Survey Report Form Page 4 of 5

Center Name:License Number:Date:Monte Vista Day Nursery1037711/15/2017

Buildings, Grounds & Safety

Deficiencies

Exit ways are obstructed and do not permit free egress from inside the center to the outside in the Combination Class infant/toddler classroom room(s). A bench was used to block children from playing with the gate.

Regulation: 8.16.2.29F(3)

Corrective Action Plan

Exit ways will be kept free from obstructions at all times. Corrected on site.

Date to be Completed: 12/15/2017

8.16.2.29 G TOILET AND BATHING FACILITIES	Compliance
8.16.2.29 H SAFETY COMPLIANCE	Compliance
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	Compliance
8.16.2.29 J PETS	Compliance

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

11/15/2017

11/15/2017

Surveyor: Darlene Montoya Date Facility Rep: Barbara Gauna Trujillo Date

Survey Report Form Page 5 of 5