

Center Name: NAPPR Early Head Start		Address: 801 Girard Blvd NE Albuquerque, NM 87106			Phone: (505)814-0696		
License Number: 156306	Issue Date: 01/8/2018	Expiration Date: 04/8/2018	Type: 2 Star + Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	30	Under Age 2:	10	Night Care:	0	Playground:	40
		Over 2:	0	Under 2:	0		
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	08:30 AM	08:30 AM	08:30 AM	08:30 AM	08:30 AM	Closed	Closed
Closing Times:	02:30 PM	02:30 PM	02:30 PM	02:30 PM	02:30 PM		
# of Classrooms: 3	Purpose: Follow-up		Date: 03/02/2018		Time: 10:22 AM		
Comments							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspected
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Compliance
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.21 B CAPACITY OF CENTERS	Compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Not Inspected
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Not Inspected
8.16.2.22 F PERSONNEL RECORDS	Not Inspected
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Not Inspected
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Not Inspected
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Not Inspected

Center Name: NAPPR Early Head Start	License Number: 156306	Date: 03/02/2018
Services & Care of Children		
8.16.2.24 A GUIDANCE		Not Inspected
8.16.2.24 B NAPS OR REST PERIOD		Not Inspected
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Not Inspected
8.16.2.24 D DIAPERING AND TOILETING		Not Inspected
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		Not Inspected
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		Not Inspected
8.16.2.24 G PHYSICAL ENVIRONMENT		Not Inspected
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Not Inspected
8.16.2.24 I EQUIPMENT AND PROGRAM		Not Inspected
8.16.2.24 J OUTDOOR PLAY AREAS		Compliance
8.16.2.24 K SWIMMING, WADING AND WATER		Not Inspected
8.16.2.24 L FIELD TRIPS		Not Inspected
Food Service		
8.16.2.25 B MEALS AND SNACKS		Not Inspected
8.16.2.25 C MENUS		Not Inspected
8.16.2.25 D KITCHENS		Not Inspected
8.16.2.25 E MEAL TIMES		Not Inspected
Health & Safety Requirements		
8.16.2.26 A HYGIENE		Not Inspected
8.16.2.26 B FIRST AID REQUIREMENTS		Not Inspected
8.16.2.26 C MEDICATION		Not Inspected
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Not Inspected
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		Not Inspected
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING		Compliance
8.16.2.29 B PEST CONTROL		Not Inspected
8.16.2.29 C MECHANICAL SYSTEMS		Not Inspected
8.16.2.29 D WATER AND WASTE		Not Inspected
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL		Not Inspected
8.16.2.29 F EXITS AND WINDOWS		Non-compliance

Center Name: NAPPR Early Head Start	License Number: 156306	Date: 03/02/2018
Buildings, Grounds & Safety		
Deficiencies A children's activity area does not have windows and/or skylight area of at least 1/20th of the floor area in the 2 yr. old Latte room(s). Regulation: 8.16.2.29F(4)		
Corrective Action Plan The use of the activity area will be discontinued until additional outdoor light can be provided in the area. Provider will submit requested documentation by 3/9/18. Date to be Completed: 03/09/2018		
8.16.2.29 G TOILET AND BATHING FACILITIES	Not Inspected	
8.16.2.29 H SAFETY COMPLIANCE	Compliance	
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	Not Inspected	
8.16.2.29 J PETS	Not Inspected	

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.



03/02/2018



03/02/2018

Surveyor: Darlene Montoya

Date

Facility Rep: Jodi Willeto

Date