



Facility

Name: *Perla Arguello* **License Number:** *102828*
Address: *223 Chico Drive, Las Vegas, NM 87701*
Phone: *5054253716* **Fax:** **E-mail:** *none*

License Information

Type: *2 Star Group Child Care Home* **Status:** *Licensed* **Issue Date:** *07/05/2018* **Expiration Date:** *07/04/2019*

Capacity

Over Age 2: *8* **Under Age 2:** *4* **Night Care:** *0* **Playground:** *0*
Square Footage: *0*

Census

Over 2: *2* **Under 2:** *1*

Classrooms

Number of Classrooms: *1*

Days and Hours of Operation

Monday <i>7:30 AM - 5:30 PM</i>	Tuesday <i>7:30 AM - 5:30 PM</i>	Wednesday <i>7:30 AM - 5:30 PM</i>	Thursday <i>7:30 AM - 5:30 PM</i>	Friday <i>7:30 AM - 5:30 PM</i>
Saturday <i>Closed</i>	Sunday <i>Closed</i>			

Inspection

Date: *12/10/2018* **Time In:** *1:20 PM* **Time Out:** *2:18 PM* **Purpose:** *Semi-Annual*

Licensure

- 8.16.2.31 A Licensing Requirements *Compliance*
- 8.16.2.31 B Capacity of a Home *Compliance*
- 8.16.2.31 C Incident Reporting Requirements *Compliance*

Administrative Requirements

- 8.16.2.32 A Administrative Records *Compliance*
- 8.16.2.32 B Mission, Philosophy and Curriculum Statement *Not Inspected*
- 8.16.2.32 C Parent Handbook *Not Inspected*

Administrative Requirements (continued)

8.16.2.32 D Children's Records	Compliance
--------------------------------	------------

8.16.2.32 E Personnel Records	Non-compliance
-------------------------------	-----------------------

The home does not have documentation of a person(s) over 18 years of age and older living in the home for one adult.

Corrective Action Plan

Documentation of a background check and employment history verification for all staff members and all adults living in the home. A background check must be conducted at least once every five years on all required individuals.

Regulation: 8.16.2.32.E.1.

Date to be Completed: 01/09/2019

8.16.2.32 F Personnel Handbook	Not Inspected
--------------------------------	---------------

Personnel & Staffing

8.16.2.33 A Personnel and Staffing Requirements	Compliance
---	------------

8.16.2.33 B Staff Qualifications and Training	Compliance
---	------------

Services & Care of Children

8.16.2.34 A Guidance	Compliance
----------------------	------------

8.16.2.34 B Naps or Rest Period	Compliance
---------------------------------	------------

8.16.2.34 C Additional Requirements for Infants and Toddlers	Compliance
--	------------

8.16.2.34 D Diapering and Toileting	Compliance
-------------------------------------	------------

8.16.2.34 E Additional Requirements for Children with Special Needs	N/A
---	-----

8.16.2.34 F Night Care	N/A
------------------------	-----

8.16.2.34 G Physical Environment	Compliance
----------------------------------	------------

8.16.2.34 H Social-Emotional Responsive Environment	Compliance
---	------------

8.16.2.34 I Equipment and Program	Compliance
-----------------------------------	------------

8.16.2.34 J Outdoor Play	Compliance
--------------------------	------------

8.16.2.34 K Swimming, Wadding and Water	N/A
---	-----

8.16.2.34 L Field Trips	N/A
-------------------------	-----

Food Service

8.16.2.35 B Meals and Snacks	Compliance
------------------------------	------------

Food Service (continued)

8.16.2.35 C Menus	Compliance
8.16.2.35 D Kitchens	Compliance
8.16.2.35 E Meal Times	Compliance

Health & Safety Requirements

8.16.2.36 A Hygiene	Compliance
8.16.2.36 B First Aid Requirements	Not Inspected
8.16.2.36 C Medication	N/A
8.16.2.36 D Illness and Notifiable Diseases	Compliance
8.16.2.37 A-G Transportation Requirements for Homes	N/A

Buildings, Grounds & Safety

8.16.2.38 A Housekeeping	Compliance
8.16.2.38 B Pest Control	Not Inspected
8.16.2.38 C Mechanical Systems	Non-compliance

Water coming from a faucet was not below 110 degrees (Fahrenheit).

Corrective Action Plan

The home will ensure water coming from faucets is below 110 degrees (Fahrenheit) by installing a tempering valve ahead of all domestic water-heater piping.

Regulation: 8.16.2.38.C.5.

Date to be Completed: 01/09/2019

8.16.2.38 D Lighting, Lighting Fixtures and Electrical	Compliance
8.16.2.38 E Exits	Compliance
8.16.2.38 F Toilet and Bathing Facilities:	Compliance
8.16.2.38 G Safety Compliance	Compliance
8.16.2.38 H Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances	Compliance
8.16.2.38 I Pets	N/A

Additional Comments


None

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.



Surveyor: *Diana Martinez*



Facility Representative: *Perla Arguello*