**Facility** 

Name: Precious Moments Child Care License Number: 138518

Address: 6711 Churchill SW, Albuquerque, NM 87121

Phone: 5058364151 Fax: E-mail: pmccc@comcast.net

License Information

Status: Licensed Type: 3 Star FOCUS Child Issue Date: 03/05/2018 **Expiration Date:** 

Care Center 03/04/2019

Capacity

Over Age 2: 72 Under Age 2: 17 Night Care: 0 Playground: 57

Square Footage: 0

Census

Over 2:33 Under 2:5

Classrooms

Number of Classrooms: 5

Days and Hours of Operation

Friday Monday Tuesday Wednesday Thursday

6:30 AM - 6:30 PM 6:30 AM - 6:30 PM

Saturday Sunday Closed Closed

Inspection

Date: 12/14/2018 Time In: 10:15 AM Time Out: 12:30 PM Purpose: Annual

### Licensure

8.16.2.11 A Types of Licenses	Not Inspected
8.16.2.11 B Renewal of License	Not Inspected
8.16.2.11 D Non-transferable Restrictions of License	Not Inspected
8.16.2.12 A, K, M Licensing Actions and Administrative Appeals	Not Inspected
8.16.2.17 E, F Surveys for Child Care Facilities	Not Inspected
8.16.2.18 D Complaints	Not Inspected
8.16.2.21 A Licensing Requirements	Not Inspected
8.16.2.21 B Capacity of Centers	Compliance

Precious Moments Child Care 138518

Licensure (continued)	
8.16.2.21 C Incident Reporting Requirements	Not Inspected
Administrative Requirements	
8.16.2.22 A Administrative Records	Compliance
8.16.2.22 B Mission, Philosophy and Curriculum Statement	Compliance
8.16.2.22 C Policy and Procedures	Compliance
8.16.2.22 D Family Handbook	Compliance
8.16.2.22 E Children's Records	Compliance
8.16.2.22 F Personnel Records	Compliance
8.16.2.22 G Personnel Handbook	Compliance
Personnel & Staffing	
8.16.2.23 A Personnel and Staffing Requirements	Compliance
8.16.2.23 B Staff Qualifications and Training	Compliance
8.16.2.23 C Staff/Child Ratios and Group Sizes	Compliance
Services & Care of Children	
8.16.2.24 A Guidance	Compliance
8.16.2.24 B Naps or Rest Period	Compliance
8.16.2.24 C Additional Requirements for Infants and Toddlers	Compliance
8.16.2.24 D Diapering and Toileting	Compliance
8.16.2.24 E Additional Requirements for Children with Special Needs	Compliance
8.16.2.24 F Additional Requirements for Night Care	N/A
8.16.2.24 G Physical Environment	Compliance
8.16.2.24 H Social-Emotional Responsive Environment	Compliance
8.16.2.24   Equipment and Program	Compliance
8.16.2.24 J Outdoor Play Areas	Compliance
8.16.2.24 K Swimming, Wading and Water	Not Inspected
8.16.2.24 L Field Trips	Not Inspected

Precious Moments Child Care 138518

Food Service	
8.16.2.25 B Meals and Snacks	Compliance
8.16.2.25 C Menus	Compliance
8.16.2.25 D Kitchens	Compliance
8.16.2.25 E Meal Times	Compliance

# Health & Safety Requirements

8.16.2.26 A Hygiene	Compliance
8.16.2.26 B First Aid Requirements	Compliance
8.16.2.26 C Medication	Compliance
8.16.2.27 A-D Illness Requirements for Centers	Compliance
8.16.2.28 A-H Transportation Requirements for Centers	Compliance

## Buildings, Grounds & Safety

### 8.16.2.29 A Housekeeping

Non-compliance

The Premises are not in good repair as evidenced by Broken ceiling brace in the toddler bathroom.

.

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises will be established.

Regulation: 8.16.2.29.A.1.

Date to be Completed: *01/13/2019* 

8.16.2.29 B Pest Control	Compliance
8.16.2.29 C Mechanical Systems	Compliance
8.16.2.29 D Water and Waste	Compliance
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	Non-compliance

The center does not have emergency lighting that turns on automatically when electrical service is disrupted.

Corrective Action Plan Emergency lighting will be installed.

Regulation: *8.16.2.29.E.2.* Date to be Completed: *01/13/2019* 

Precious Moments Child Care 138518

### Buildings, Grounds & Safety (continued)

#### 8.16.2.29 F Exits and Windows

Non-compliance

Exit ways are obstructed and do not permit free egress from inside the center to the outside in the two's classroom room(s).

Corrective Action Plan

Exit ways will be kept free from obstructions at all times.

Regulation: 8.16.2.29.F.3.

Date to be Completed: *01/13/2019* 

8.16.2.29 G Toilet and Bathing Facilities

Compliance

8.16.2.29 H Safety Compliance

Compliance

8.16.2.29 H3(f)(i)(k) Safety Compliance

Compliance

8.16.2.29 J Pets

Not Inspected

#### **Additional Comments**

None

### Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

PW

Surveyor: Patricia Williams

Facility Representative: Yesenia Marquez

Dignature on file