Facility

Name: RGEC @ George I. Sanchez Community School License Number: 163119

Address: 4050 118th St SW, Albuquerque, NM 87121

Phone: 5059181927 Fax: N/A E-mail: N/A

License Information

Status: Licensed Type: 2 Star + Child Care Issue Date: 01/01/2018 **Expiration Date:**

Center 10/06/2018

Capacity

Playground: 213 Over Age 2: 213 Under Age 2:0 Night Care: 0

Square Footage: N/A

Census

Over 2:0 Under 2:0

Classrooms

Number of Classrooms: 1

Days and Hours of Operation - Morning

Monday Tuesday Wednesday Thursday Friday

6:45 AM - 8:45 AM 6:45 AM - 8:45 AM

Saturday Sunday Closed Closed

Days and Hours of Operation - Afternoon

Monday Tuesday Wednesday Thursday Friday 3:50 PM - 6:00 PM 3:50 PM - 6:00 PM

Saturday Sunday

Closed Closed

Inspection

Purpose: Follow-up Date: 05/22/2018 Time In: 2:26 PM Time Out: 2:40 PM

05/22/2018

2 of 3

Licensure	
8.16.2.40 A Licensing Requirements	Not Inspected
8.16.2.40 B Capacity of a Program	Not Inspected
8.16.2.40 C,D Incident Reporting Requirements	Not Inspected
Administrative Requirements	
8.16.2.41 A Administrative Records	Compliance
8.16.2.41 B Mission, Philosophy and Curriculim Statement	Not Inspected
8.16.2.41 C Parent Handbook	Not Inspected
8.16.2.41 D Children's Records	Compliance
8.16.2.41 E Personnel Records	Not Inspected
8.16.2.41 F Personnel Handbook	Not Inspected
Personnel & Staffing	
8.16.2.42 A Personnel and Staffing Requirements	Not Inspected
8.16.2.42 B Staff Qualifications	Not Inspected
8.16.2.42 C Training	Not Inspected
Services & Care of Children	
8.16.2.43 A Guidance	Compliance
8.16.2.43 B Physical Environment	Not Inspected
8.16.2.43 C Social-Emotional Responsive Environment	Not Inspected
8.16.2.43 D Equipment and Program	Not Inspected
8.16.2.43 E Additional Requirements for Children with Special Needs	Not Inspected
8.16.2.43 F Outdoor Play Areas	Not Inspected
8.16.2.43 G Swimming, Wading and Water	Not Inspected
8.16.2.43 H Field Trips	Not Inspected
Food Service	
8.16.2.44 B Meals and Snacks	Not Inspected
8.16.2.44 C Kitchens	Not Inspected
Health & Safety Requirements	
	Not Inspected
8.16.2.45 A Hygiene	Not Inspected

https://cyfd.org/

Health & Safety Requirements (continued)

8.16.2.45 B First Aid Requirements	Compliance
8.16.2.45 C Medication	N/A
8.16.2.45 D Illnesses	N/A
8.16.2.46 A-H Transportation Requirements	N/A

Buildings, Grounds & Safety

8.16.2.47 A Housekeeping	Not Inspected
8.16.2.47 B Pest Control	Not Inspected
8.16.2.47 C Mechanical Systems	Not Inspected
8.16.2.47 D Lighting, Lighting Fixtures and Electrical	Not Inspected
8.16.2.47 E Exits and Windows	Not Inspected
8.16.2.47 F Toilet and Bathing Facilities:	Not Inspected
8.16.2.47 G Safety Compliance:	Compliance
8.16.2.47 H Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances	Not Inspected
8.16.2.47 Pets	N/A

Additional Comments

Deficiencies cited on Annual Survey have been corrected. No further action required thank you.

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Surveyor: Helen Waldorf

Facility Representative: Michael Lujan Elaine Lucero