Facility

Name: RGEC @ Mark Twain Elementary License Number: 159078

Address: 6316 Constitution Ave NE, Albuquerque, NM 87110

Phone: 5053153712 Fax: E-mail: mlujan@rgec.org

License Information

Type: 2 Star Child Care Status: Licensed Issue Date: 01/08/2018 Expiration Date:

Center 01/07/2019

Capacity

Over Age 2: 21 Under Age 2: 0 Night Care: 0 Playground: 21

Square Footage: 0

Census

Over 2: 5 Under 2: 0

Classrooms

Number of Classrooms: 1

Days and Hours of Operation - Morning

Monday Tuesday Wednesday Thursday Friday

6:15 AM - 8:45 AM 6:15 AM - 8:45 AM 6:15 AM - 8:45 AM 6:15 AM - 8:45 AM

Saturday Sunday Closed Closed

Days and Hours of Operation - Afternoon

 Monday
 Tuesday
 Wednesday
 Thursday
 Friday

 2:00 PM - 6:00 PM
 2:00 PM - 6:00 PM

Saturday Sunday

Closed Closed

Inspection

Date: 12/05/2018 Time In: 1:00 PM Time Out: 1:45 PM Purpose: Other

Licensure

8.16.2.40 A Licensing Requirements Not Inspected

8.16.2.40 B Capacity of a Program Compliance

8.16.2.40 C,D Incident Reporting Requirements

Not Inspected

12/05/2018 https://cyfd.org/ 1 of 3

Administrative Requirements				
8.16.2.41 A Administrative Records		Not Inspected		
8.16.2.41 B Mission, Philosophy and Cur	riculim Statement	Not Inspected		
8.16.2.41 C Parent Handbook		Not Inspected		
8.16.2.41 D Children's Records		Not Inspected		
8.16.2.41 E Personnel Records		Not Inspected		
8.16.2.41 F Personnel Handbook		Not Inspected		
Personnel & Staffing				
8.16.2.42 A Personnel and Staffing Requ	irements	Compliance		
8.16.2.42 B Staff Qualifications		Not Inspected		
8.16.2.42 C Training		Not Inspected		
Services & Care of Children				
8.16.2.43 A Guidance		Not Inspected		
8.16.2.43 B Physical Environment		Compliance		
8.16.2.43 C Social-Emotional Responsive	e Environment	Not Inspected		
8.16.2.43 D Equipment and Program		Compliance		
8.16.2.43 E Additional Requirements for	8.16.2.43 E Additional Requirements for Children with Special Needs			
8.16.2.43 F Outdoor Play Areas		Not Inspected		
8.16.2.43 G Swimming, Wading and Wate	er	Not Inspected		
8.16.2.43 H Field Trips		Not Inspected		
Food Service				
8.16.2.44 B Meals and Snacks		Not Inspected		
8.16.2.44 C Kitchens		Not Inspected		
Health & Safety Requirements				
8.16.2.45 A Hygiene		Not Inspected		
8.16.2.45 B First Aid Requirements		Not Inspected		
8.16.2.45 C Medication		Not Inspected		
8.16.2.45 D Illnesses		Not Inspected		
12/05/2018	https://cvfd.org/	2 of 3		

# Health & Safety Requirements (continued)

8.16.2.46 A-H Transportation Requirements

Not Inspected

## Buildings, Grounds & Safety

8.16.2.47 A Housekeeping	Compliance
8.16.2.47 B Pest Control	Compliance
8.16.2.47 C Mechanical Systems	Compliance
8.16.2.47 D Lighting, Lighting Fixtures and Electrical	Compliance

### 8.16.2.47 E Exits and Windows

Non-compliance

There are not at least two exits remote from each other in the B-10 portable activity area of the program that is being planned for child care use.

Corrective Action Plan

No Activity area of the program will be used for child care that does not have at least two exits remote from each other.

Regulation: 8.16.2.47.E.1.

Date to be Completed: 01/05/2019

8.	16.2.	47 F	Toilet	and	Bathing	Facilities:
----	-------	------	--------	-----	---------	-------------

Compliance

### 8.16.2.47 G Safety Compliance:

Compliance

# 8.16.2.47 H Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances

Compliance

## 8.16.2.47 | Pets

Not Inspected

### Additional Comments

This survey is for a change of capacity. Portable B-10 cannot be licensed at this time. Remote exit does not meet minimum height opening.

### Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

PW

Surveyor: Patricia Williams

Facility Representative: Michael A Lujan Cassandra C

Signatureonfile

de Baca