

Center Name: Roadrunner CDC		Address: 608 Chelwood Park NE Albuquerque, NM 87123			Phone: (505)293-6691		
License Number: 141825	Issue Date: 03/1/2017	Expiration Date: 11/19/2017	Type: 5 Star FOCUS Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	46	Under Age 2:	22	Night Care:	0	Playground:	67
		Over 2:	14	Under 2:	13		
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	07:00 AM	07:00 AM	07:00 AM	07:00 AM	07:00 AM	Closed	Closed
Closing Times:	06:00 PM	06:00 PM	06:00 PM	06:00 PM	06:00 PM		
# of Classrooms: 3	Purpose: Incident Investigation		Date: 03/15/2017		Time: 11:45 AM		
Comments This survey is in reference to a referral received on 3/13/17.							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspected
8.16.2.11 B RENEWAL OF LICENSE	Not Inspected
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Not Inspected
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Not Inspected
8.16.2.21 B CAPACITY OF CENTERS	Not Inspected
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Not Inspected
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Not Inspected
8.16.2.22 F PERSONNEL RECORDS	Not Inspected
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Not Inspected
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Not Inspected
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Not Inspected

Center Name: Roadrunner CDC	License Number: 141825	Date: 03/15/2017
Services & Care of Children		
8.16.2.24 A GUIDANCE <u>Deficiencies</u> Guidance being used by staff in the Toddler - (12 - 24 mo.); 18 mo. - 35 mo. room(s) is not appropriate as evidenced by educator pulled a child by one arm. Regulation: 8.16.2.24A(2) <u>Corrective Action Plan</u> The center's guidance practices will be reviewed with staff to ensure consistent and age-appropriate guidance is used. Training for all educators will be completed by the week of April 17th 2017. Date to be Completed: 04/21/2017	Non-compliance	
8.16.2.24 B NAPS OR REST PERIOD	Not Inspected	
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS	Not Inspected	
8.16.2.24 D DIAPERING AND TOILETING	Not Inspected	
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS	Not Inspected	
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE	Not Inspected	
8.16.2.24 G PHYSICAL ENVIRONMENT	Not Inspected	
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT	Not Inspected	
8.16.2.24 I EQUIPMENT AND PROGRAM	Not Inspected	
8.16.2.24 J OUTDOOR PLAY AREAS	Not Inspected	
8.16.2.24 K SWIMMING, WADING AND WATER	Not Inspected	
8.16.2.24 L FIELD TRIPS	Not Inspected	
Food Service		
8.16.2.25 B MEALS AND SNACKS	Not Inspected	
8.16.2.25 C MENUS	Not Inspected	
8.16.2.25 D KITCHENS	Not Inspected	
8.16.2.25 E MEAL TIMES	Not Inspected	
Health & Safety Requirements		
8.16.2.26 A HYGIENE	Not Inspected	
8.16.2.26 B FIRST AID REQUIREMENTS	Not Inspected	
8.16.2.26 C MEDICATION	Not Inspected	
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS	Not Inspected	
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS	Not Inspected	
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING	Not Inspected	
8.16.2.29 B PEST CONTROL	Not Inspected	
8.16.2.29 C MECHANICAL SYSTEMS	Not Inspected	

Center Name: Roadrunner CDC	License Number: 141825	Date: 03/15/2017
---------------------------------------	----------------------------------	----------------------------

Buildings, Grounds & Safety

8.16.2.29 D WATER AND WASTE	Not Inspected
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL	Not Inspected
8.16.2.29 F EXITS AND WINDOWS	Not Inspected
8.16.2.29 G TOILET AND BATHING FACILITIES	Not Inspected
8.16.2.29 H SAFETY COMPLIANCE	Not Inspected
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	Not Inspected
8.16.2.29 J PETS	Not Inspected

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

Kia Kennedy

03/15/2017

Lynette Castro

03/15/2017

Surveyor: Kia Kennedy	Date	Facility Rep: Lynette Castro	Date
-----------------------	------	------------------------------	------