Facility

Name: Sandia Learning Center License Number: 93342

Address: 2433 Chelwood Park N.E., Albuquerque, NM 87112

Phone: 5052962548 Fax: N/A E-mail: N/A

License Information

Type: 4 Star FOCUS Child Status: Licensed Issue Date: 03/01/2018 Expiration Date:

Care Center 01/30/2019

Capacity

Over Age 2: 46 Under Age 2: 31 Night Care: 0 Playground: 47

Square Footage: N/A

Census

Over 2: 31 Under 2: 10

Classrooms

Number of Classrooms: 5

Days and Hours of Operation

Monday Tuesday Wednesday Thursday Friday

6:30 AM - 12:00 AM 6:30 AM - 12:00 AM 6:30 AM - 12:00 AM 6:30 AM - 12:00 AM

Saturday Sunday

Closed Closed

Inspection

Licensure

8.16.2.11 A Types of Licenses N/A

8.16.2.11 B Renewal of License

8.16.2.11 D Non-transferable Restrictions of License N/A

8.16.2.12 A, K, M Licensing Actions and Administrative Appeals

N/A

8.16.2.17 E, F Surveys for Child Care Facilities Compliance

8.16.2.18 D Complaints *N/A*

8.16.2.21 A Licensing Requirements Compliance

8.16.2.21 B Capacity of Centers Compliance

06/20/2018 https://cyfd.org/ 1 of 5

Administrative Requirements (continued)

8.16.2.21 C Incident Reporting Requirements

N/A

Administrative Requirements

8.16.2.22 A Administrative Records	Compliance
8.16.2.22 B Mission, Philosophy and Curriculum Statement	Not Inspected
8.16.2.22 C Policy and Procedures	Not Inspected
8.16.2.22 D Family Handbook	Not Inspected
8.16.2.22 E Children's Records	Not Inspected
8.16.2.22 F Personnel Records	Compliance
8.16.2.22 G Personnel Handbook	Not Inspected

Personnel & Staffing

8.16.2.23 A Personnel and Staffing Requirements	Compliance
8.16.2.23 B Staff Qualifications and Training	Not Inspected
8.16.2.23 C Staff/Child Ratios and Group Sizes	Compliance

Services & Care of Children

8.16.2.24 Equipment and Program	Compliance
8.16.2.24 H Social-Emotional Responsive Environment	Compliance
8.16.2.24 G Physical Environment	Not Inspected
8.16.2.24 F Additional Requirements for Night Care	N/A
8.16.2.24 E Additional Requirements for Children with Special Needs	Compliance
8.16.2.24 D Diapering and Toileting	Compliance
8.16.2.24 C Additional Requirements for Infants and Toddlers	Compliance
8.16.2.24 B Naps or Rest Period	Compliance
8.16.2.24 A Guidance	Compliance

The fall zone underneath the swings, slide, climber is not adequate as evidenced by the resilient material is not uniformly spread over the fall zone area.

Corrective Action Plan

An approved resilient surface will be provided beneath the climbing structures, swings, and slides.

(continued)

Regulation: 8.16.2.24.J.3. Date to be Completed: 07/20/2018

8.16.2.24 K Swimming, Wadding and Water

N/A

8.16.2.24 L Field Trips

N/A

N/A

Food Service

8.16.2.25 B Meals and Snacks

Compliance

8.16.2.25 C Menus

Compliance

8.16.2.25 D Kitchens

Non-compliance

The refrigerator, freezer in the infant room does not have a working internal thermometer.

Corrective action Plan

The center will obtain and place a working thermometer in refrigerator, freezer.

Regulation: 8.16.2.25.D.6.

Date to be Completed: 07/20/2018

8.16.2.25 E Meal Times

Health & Safety Requirements

8.16.2.26 A Hygiene Compliance

8.16.2.26 B First Aid Requirements Not Inspected

8.16.2.26 C Medication N/A

8.16.2.27 A-D Illness Requirements for Centers N/A

8.16.2.28 A-H Transportation Requirements for Centers

Not Inspected

Buildings, Grounds & Safety

8.16.2.29 A Housekeeping

Non-compliance

The floors in the center are not clean as evidenced by carpets throughout the center are stained and worn

Corrective Action Plan

Cleaning will be completed and a schedule for routine cleaning will be established.

Regulation: 8.16.2.29.A.1. Date to be Completed: 07/20/2018

8.16.2.29 A Housekeeping (continued)

Non-compliance

The Premises are not in good repair as evidenced by baseboards in the boys restroom are not secured

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises will be established.

Regulation: 8.16.2.29.A.1.

Date to be Completed: 07/20/2018

The fixtures in the restrooms are not clean as evidenced by ventilation fans have an accumulation of dust

Corrective Action Plan

Cleaning will be completed and a schedule for routine cleaning will be established.

Regulation: 8.16.2.29.A.1.

Date to be Completed: 07/20/2018

The Premises are not in good repair as evidenced by wooded privacy fence in the south playground is not secured

.

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises will be established.

Regulation: 8.16.2.29.A.1.

Date to be Completed: 07/20/2018

The premises in the back playgroundare not safe in that wooden platform under storage shed is weathered, pieces are missing, nails are exposed

.

Corrective Action Plan

The safety violation will be corrected and a system for routine safety inspection developed.

Regulation: 8.16.2.29.A.1.

Date to be Completed: 07/20/2018

8.16.2.29 B Pest Control Compliance

8.16.2.29 C Mechanical Systems Compliance

8.16.2.29 D Water and Waste Compliance

8.16.2.29 E Lighting, Lighting Fixtures and Electrical Compliance

8.16.2.29 F Exits and Windows Compliance

8.16.2.29 G Toilet and Bathing Facilities Compliance

Buildings, Grounds & Safety (continued)

8.16.2.29 H Safety Compliance

Compliance

8.16.2.29 I Smoking, Firearms, Alcoholic Beverages, Illegal Drugs and Controlled Substances

Compliance

8.16.2.29 J Pets *N/A*

Additional Comments

None

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Surveyor: Helen Waldorf

Facility Representative: Alisha Guerrero