

Center Name: Shelly Davila			Address: 504 Whispering Meadows Dr. Rio Rancho, NM 87144					Phone: (505)269-47	Phone: (505)269-4755	
License Number: Issue Date: Expiration D		tate: Type: Status:				Status:	•			
162752	08/4/2017	08/3/2018		2 Star Family Child Care Home			Licensed			
Capacity				•		С	ensus			
Over Age 2: 6	Under Age 2:	0 Night	Care:	0	Playground:	0 0	ver 2: () Unde	er 2: 0	
Days and Hours of	Operation					-				
	<u>Monday</u>	Tuesda	y W	ednesday	<u>/</u> Thurs	<u>day</u> <u>F</u>	<u>riday</u>	<u>Saturday</u>	<u>Sunday</u>	
Opening Times	09:00 AM	09:00 AI	M (09:00 AM	09:00	AM 09	:00 AM	Closed	Closed	
Closing Times	05:00 PM	05:00 PI	M (05:00 PM	05:00	PM 05	00 PM			
# of Classrooms:	F	Purpose:			Date:		1	Γime:		
2 Follow-up			01/05/2018		l	04:05 PM				
Comments This is a follow up so	urvey to semi-ann	ual inspection c	onducted or	n 11/29/17	7.					

AS NOTED BELOW:
Not Inspected
Not Inspected
Not Inspected
Not Inspected
Not Inspected
Not Inspected
Compliance
Not Inspected
Not Inspected
Not Inspected
Compliance
Not Inspected
Not Inspecte
Not Inspecte
Not Inspecte
Not Inspected
Not Inspecte
Not Inspected

Survey Report Form Page 1 of 2

Center Name: Shelly Davila	License Number: 162752	Date: 01/05/2018	
	Care of Children		
8.16.2.34 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT			Not Inspected
8.16.2.34 I EQUIPMENT AND PROGRAM			Not Inspected
8.16.2.34 J OUTDOOR PLAY			Not Inspected
8.16.2.34 K SWIMMING, WADING AND WATER			Not Inspected
8.16.2.34 L FIELD TRIPS			Not Inspected
Food	d Service	1	
8.16.2.35 B MEALS AND SNACKS			Not Inspected
8.16.2.35 C MENUS			Not Inspected
8.16.2.35 D KITCHENS			Not Inspected
8.16.2.35 E MEAL TIMES			Not Inspected
Health & Safe	ety Requirements		
8.16.2.36 A HYGIENE			Not Inspected
8.16.2.36 B FIRST AID REQUIREMENTS			Not Inspected
8.16.2.36 C MEDICATION			Not Inspected
8.16.2.36 D ILLNESS AND NOTIFIABLE DISEASES			Not Inspected
8.16.2.37 A-G TRANSPORTATION REQUIREMENTS FOR HOMES			Not Inspected
Buildings, G	Frounds & Safety	-	
8.16.2.38 A HOUSEKEEPING			Not Inspected
8.16.2.38 B PEST CONTROL			Not Inspected
8.16.2.38 C MECHANICAL SYSTEMS			Not Inspected
8.16.2.38 D LIGHTING, LIGHTING FIXTURES AND ELECTRICAL			Not Inspected
8.16.2.38 E EXITS			Not Inspected
8.16.2.38 F TOILET AND BATHING FACILITIES			Not Inspected
8.16.2.38 G SAFETY COMPLIANCE			Not Inspected
8.16.2.38 H SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL	DRUGS AND CONTROLLED SUB	STANCES	Not Inspected
8.16.2.38 I PETS			Not Inspected

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

01/05/2018

01/05/2018

Surveyor:Kia Kennedy

Date

Facility Rep:Shelly Davila

Signature in file

Date