

Facility			
Name: Shepherd of the Val	ley Preschool		License Number: 94680
Address: 1801 Montano R	d. N. W., Albuquerque	e, NM 87107	
Phone: 5053441989	Fax:	E-mail: holly1956@comco	ast.net
License Information			
Type : 5 Star FOCUS Child Care Center	Status: Licensed	Issue Date: 06/14/2018	Expiration Date: 06/13/2019
Capacity			
Over Age 2: <i>25</i> Square Footage: <i>0</i>	Under Age 2:	Night Care:	Playground: 25
Census			
Over 2: 17	Under 2:0		
Classrooms			
Number of Classrooms: 2	2		
Days and Hours of Operation	ation		
Monday 9:00 AM - 1:00 PM 9.	Tuesday :00 AM - 1:00 PM	Wednesday Thursday 9:00 AM - 1:00 PM 9:00 AM - 1.	
Saturday Closed	Sunday Closed		
Inspection			
Date: 04/01/2019	Time In: 10:45 AM	Time Out: 11:50 AM	Purpose: Annual
Licensing:			
8.16.2.11 A Types of Lice	nses		Not Inspected
8.16.2.11 B Renewal of License			
8.16.2.11 D Non-transfer	able Restrictions of	License	Not Inspected
Licensing Actions and	Administrative A	ppeals:	
8.16.2.12 A, K, M Licensir	ng Actions and Adm	inistrative Appeals	Not Inspected

Personnel	
8.16.2.22 F Personnel Records	Non-compliance
8.16.2.22 E Children's Records	Compliance
8.16.2.22 D Family Handbook	Compliance
8.16.2.22 C Policy and Procedures	Compliance
8.16.2.22 B Mission, Philosophy and Curriculum Statement	Compliance
8.16.2.22 A Administrative Records	Compliance
Administrative Requirements for Centers:	
8.16.2.21 C Incident Reporting Requirements	Not Inspected
8.16.2.21 B (3)c Capacity of Centers	Compliance
8.16.2.21 B Capacity of Centers	Compliance
8.16.2.21 A Licensing Requirements	Not Inspected
Licensure Requirements for Centers:	
8.16.2.18 D Complaints	Not Inspected
Complaints:	
8.16.2.17 E, F Surveys for Child Care Facilities	Not Inspected
Surveys for Child Care Facilities:	

Personnel

8.16.2.22.F.1.g.: documentation of current first-aid and cardiopulmonary resuscitation training;

Finding	Deadline: 05/01/2019
From the review of staff records, it was determined that 1 out of 6 staff documentation of current first-aid and cardiopulmonary resuscitation form for staff without verification of training.	
Corrective Action Plan The center will obtain documentation of first-aid and CPR training and	l retain on file.
8.16.2.22 G Personnel Handbook	Compliance
ersonnel and Staffing Requirements for Centers:	
8.16.2.23 A Personnel and Staffing Requirements	Compliance
8.16.2.23 B Staff Qualifications and Training	Compliance

Personnel and Staffing Requirements for Centers: (continued)	
8.16.2.23 C Staff/Child Ratios and Group Sizes	Compliance
Services and Care of Children in Centers:	
8.16.2.24 A Guidance	Compliance
8.16.2.24 A1 Guidance	Compliance
8.16.2.24 B Naps or Rest Period	Not Inspected
8.16.2.24 D Diapering and Toileting	Compliance
8.16.2.24 E Additional Requirements for Children with Special Needs	Compliance
8.16.2.24 F Additional Requirements for Night Care	N/A
8.16.2.24 G Physical Environment	Compliance
8.16.2.24 H Social-Emotional Responsive Environment	Compliance
8.16.2.24 I Equipment and Program	Compliance
8.16.2.24 J Outdoor Play Areas	Compliance
8.16.2.24 K Swimming, Wading and Water	Not Inspected
8.16.2.24 L Field Trips	Not Inspected
Food Service Requirements for Centers:	
8.16.2.25 A Meal Pattern Requirements	Not Inspected
8.16.2.25 B Meals and Snacks	Compliance
8.16.2.25 B3 Meals and Snacks	Compliance
8.16.2.25 C Menus	Compliance
8.16.2.25 D Kitchens	Compliance
8.16.2.25 E Meal Times	Compliance
Health and Safety Requirements for Centers:	
8.16.2.26 A Hygiene	Compliance
8.16.2.26 B First Aid Requirements	Compliance
8.16.2.26 C Medication	Compliance

Illness Requirements for Centers:	
8.16.2.27 A-D Illness Requirements for Centers	Compliance
Transportation Requirements for Centers:	
8.16.2.28 A-H Transportation Requirements for Centers	N/A
Building, Ground and Safety Requirements for Centers:	
8.16.2.29 A Housekeeping	Compliance
8.16.2.29 B Pest Control	Compliance
8.16.2.29 C Mechanical Systems	Compliance
8.16.2.29 D Water and Waste	Compliance
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	Compliance
8.16.2.29 F Exits and Windows	Compliance
8.16.2.29 G Toilet and Bathing Facilities	Compliance
8.16.2.29 H Safety Compliance	Non-compliance
Admin/Licensure	

8.16.2.29.H.3.i.: a center must be equipped with smoke detectors approved in writing by the fire authority having jurisdiction as to number, type, and placement;

Finding	Deadline: 05/01/2019			
The center is not equipped with smoke detectors. Smoke detector	is not in working order.			
Corrective Action Plan				
Smoke detectors will be maintained in working order.				
8.16.2.29 H3(f)(i)(k) Safety Compliance	Compliance			
8.16.2.29 I Smoking, Firearms, Alcoholic Beverages, Illegal Drugs a Substances	and Controlled Compliance			
8.16.2.29 J Pets	Not Inspected			
Additional Comments				

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Signaturon file

Surveyor: Patricia Williams

, gnature on file

Facility Representative: Holly Savage