

Center Name:	Address:					Phone:	Phone:		
Southwest Child Care	4802 Wyoming N. E. Albuquerque, NM 87111				(505)296	-3121			
License Number: Issue Date: Expiration		Expiration I	Date: Type: Status:			·			
53018	08/20/2017	/2017 08/19/2018		5 Star FOCUS Child Care Center			Licensed		
Capacity				•		Cei	nsus		
Over Age 2: 101	Under Age 2:	39 Night	Care:	0 P	layground: 88	Ove	er 2:	56 U	Inder 2: 16
Days and Hours of Operation									
	<u>Monday</u>	Tuesda	<u>y</u> <u>W</u>	<u>/ednesday</u>	<u>Thursday</u>	<u>Fri</u>	<u>day</u>	Saturday	<u>Sunday</u>
Opening Times:	6:	6:		6:	6:	(3:	Closed	Closed
Closing Times	: 06:00 PM	06:00 PI	VI (06:00 PM	06:00 PM	06:0	0 PM		
# of Classrooms:	Р	urpose:			Date:		-	Time:	
9 Semi-Annual		11/27/2017			10:00 AM				
Comments									

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:					
Licensure					
8.16.2.11 A TYPES OF LICENSES	N/A				
8.16.2.11 B RENEWAL OF LICENSE	N/A				
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	N/A				
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	N/A				
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Compliance				
8.16.2.18 D COMPLAINTS	N/A				
8.16.2.21 A LICENSING REQUIREMENTS	Compliance				
8.16.2.21 B CAPACITY OF CENTERS	Compliance				
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	N/A				
Administrative Requirements					
8.16.2.22 A ADMINISTRATION RECORDS	Compliance				
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected				
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected				
8.16.2.22 D FAMILY HANDBOOK	Not Inspected				
8.16.2.22 E CHILDREN'S RECORDS	Not Inspected				
8.16.2.22 F PERSONNEL RECORDS	Compliance				
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected				
Personnel & Staffing					
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance				
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Not Inspected				
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance				

Survey Report Form Page 1 of 3

Center Name:	License Number:	Date:	
Southwest Child Care Inc.	53018	11/27/2017	
	Services & Care of Children		
8.16.2.24 A GUIDANCE			Compliance
8.16.2.24 B NAPS OR REST PERIOD			Compliance
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS		Compliance	
8.16.2.24 D DIAPERING AND TOILETING		Compliance	
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDRE		N/A	
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CA	N/A		
8.16.2.24 G PHYSICAL ENVIRONMENT		Not Inspected	
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRON		Compliance	
8.16.2.24 I EQUIPMENT AND PROGRAM			Compliance
8.16.2.24 J OUTDOOR PLAY AREAS			Non-compliance
<u>Deficiencies</u> Playground red metal equipment is not safe as evide anchored. <u>Regulation:</u> 8.16.2.24J(1)	enced by the following: not securely		
Corrective Action Plan Equipment will be removed or made inaccessible ur routine inspection and maintenance will be devised. Date to be Completed: 12/27/2017	-		
8.16.2.24 K SWIMMING, WADING AND WATER			N/A
8.16.2.24 L FIELD TRIPS			N/A
	Food Service		
8.16.2.25 B MEALS AND SNACKS			Compliance
8.16.2.25 C MENUS			Compliance
8.16.2.25 D KITCHENS			Compliance
8.16.2.25 E MEAL TIMES			Compliance
Н	lealth & Safety Requirements		
8.16.2.26 A HYGIENE			Compliance
8.16.2.26 B FIRST AID REQUIREMENTS			N/A
8.16.2.26 C MEDICATION			N/A
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		N/A	
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR C	CENTERS		N/A
	Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING			Non-compliance

Survey Report Form Page 2 of 3

Center Name:License Number:Date:Southwest Child Care Inc.5301811/27/2017

Buildings, Grounds & Safety

Deficiencies

The Equipment are not in good repair as evidenced by cozy coupe is missing a steering wheel.

Regulation: 8.16.2.29A(1)

Corrective Action Plan

Repairs will be completed and a system for routine inspection of the center and premises

will be established.

Date to be Completed: 12/27/2017

8.16.2.29 B PEST CONTROL	Compliance
8.16.2.29 C MECHANICAL SYSTEMS	Compliance
8.16.2.29 D WATER AND WASTE	Compliance
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL	Compliance
8.16.2.29 F EXITS AND WINDOWS	Compliance
8.16.2.29 G TOILET AND BATHING FACILITIES	Compliance
8.16.2.29 H SAFETY COMPLIANCE	Non-compliance
Deficiencies The center failed to conduct an emergency preparedness practice drills for at least once a quarter. Not current Regulation: 8.16.2.29H(1) Corrective Action Plan A center will conduct emergency preparedness practice drills at least quarterly beginning	
January of each calendar year. Date to be Completed: 12/27/2017	
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES	Compliance
8.16.2.29 J PETS	N/A

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

11/27/2017

11/27/2017

Surveyor:Helen Waldorf

Date

Facility Rep:Sondra Carpenter

Page 3 of 3

Date