

Center Name:			Address:				Phone:	Phone:	
Sow N Seed			323 Main St. Los Lunas, NM 87031				(505)565-0	0653	
License Number:	Issue Date:	Expiration I	Date:			Status:			
114421	05/5/2017	05/4/2018	3 Star FOCUS Child Care Ce		CUS Child Care Center		Licensed		
Capacity				•		Cei	nsus		
Over Age 2: 25	Under Age 2:	5 Night	Care:	0 P	layground: 30	Ove	er 2: 2	25 Un	der 2: 3
Days and Hours of	Operation								
	<u>Monday</u>	Tuesda	<u>y</u> <u>W</u>	<u>/ednesday</u>	<u>Thursday</u>	<u>Fri</u>	<u>day</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times	06:30 AM	06:30 AI	M (	06:30 AM	06:30 AM	06:3	0 AM	Closed	Closed
Closing Times	: 06:00 PM	06:00 PI	M (	06:00 PM	06:00 PM	06:0	0 PM		
# of Classrooms:	F	Purpose:			Date:		7	Time:	
3	S	Semi-Annual			08/08/2017		C	8:30 AM	
Comments									

Licensure	
Licensure	
8.16.2.11 A TYPES OF LICENSES	Not Inspecte
8.16.2.11 B RENEWAL OF LICENSE	Not Inspecte
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspecte
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspecte
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Not Inspecte
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Non-compliand
Deficiencies  The licensee did not obtain background checks on all staff members, educators, volunteers, and prospective staff as per the requirements outlined in the department's most current version of the Background Check and Employment History Verification provisions. 1 staff not background checked every 5 years  Regulation: 8.16.2.21A(2)  Corrective Action Plan  The licensee will obtain background checks on all staff members, volunteers, and prospective staff. A request for a background check must be submitted prior to a staff member's employment. A background check must be conducted in accordance with 8.8.3  NMAC at least once every five years on all required individuals.  Date to be Completed: 09/08/2017	Non compliant
8.16.2.21 B CAPACITY OF CENTERS	Non-compliand

Survey Report Form Page 1 of 4

Center Name:	License Number:	Date:
Sow N Seed	114421	08/08/2017

## Licensure

## **Deficiencies**

The center failed to post correct classroom capacities and group sizes in an area of the room that is easily visible to parents, staff and visitors.

**Regulation:** 8.16.2.21B(3)(c)

## **Corrective Action Plan**

The center will post the capacity in an area of the room that is easily visible to parents, staff and visitors.

Date to be Completed: 09/08/2017

Date to be Completed: 09/08/2017	
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS	Compliance
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected
8.16.2.22 C POLICY AND PROCEDURES	Compliance
8.16.2.22 D FAMILY HANDBOOK	Not Inspected
8.16.2.22 E CHILDREN'S RECORDS	Compliance
8.16.2.22 F PERSONNEL RECORDS	Compliance
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected
Personnel & Staffing	
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING  Deficiencies  Educators did not complete the following training within 3-months: Health and Safety Training Regulation: 8.16.2.23B(2)(b)  Corrective Action Plan  All educators, regardless of the number of hours per week, will complete the above listed training.  The following staff members need to complete the required training:  Date to be Completed: 09/08/2017	Non-compliance
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance
Services & Care of Children	- "
8.16.2.24 A GUIDANCE	Compliance
8.16.2.24 B NAPS OR REST PERIOD	Compliance
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS	Compliance
8.16.2.24 D DIAPERING AND TOILETING	Compliance
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS	Not Inspected
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE	N/A
8.16.2.24 G PHYSICAL ENVIRONMENT	Compliance
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT	Compliance

Survey Report Form Page 2 of 4

Services & Care of Children  8.16.2.24 I EQUIPMENT AND PROGRAM  8.16.2.24 I SUITDOOR PLAY AREAS  8.16.2.24 K SWIMMING, WADING AND WATER  8.16.2.24 L FIELD TRIPS  Food Service  8.16.2.25 B MEALS AND SNACKS  8.16.2.25 C MENUS  8.16.2.25 D KITCHENS  8.16.2.26 L TIMES  Health & Safety Requirements  8.16.2.26 B FIRST AID REQUIREMENTS  Deficiencies  The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR), 4 staff. Regulation: 8.16.2.268(1)  Corrective Action Plan All educators must be certified in first aid and cardiopulmonary resuscitation (CPR).  Bate to be Completed: 0908/2017  8.16.2.26 C MEDICATION  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  8.16.2.28 A H TRANSPORTATION REQUIREMENTS FOR CENTERS  8.16.2.29 A HOUSEKEEPING  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.24 I EQUIPMENT AND PROGRAM  8.16.2.24 L SWIMMING, WADING AND WATER  8.16.2.25 L MELLS AND SNACKS  8.16.2.25 C MENUS  8.16.2.25 C MENUS  8.16.2.25 E MEAL TIMES  Health & Safety Requirements  8.16.2.26 B FIRST AID REQUIREMENTS  Deficiencies  The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR). Just et al. Educators must be certified in first aid and cardiopulmonary resuscitation (CPR). Date to be Completed: 09/08/2017  8.16.2.26 C MEDICATION  8.16.2.26 C MEDICATION  8.16.2.28 A H TRANSPORTATION REQUIREMENTS FOR CENTERS  8.16.2.29 A HOUSEKEEPING  8.16.2.29 A HOUSEKEEPING  8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.24 L FIELD TRIPS  Food Service  8.16.2.25 B MEALS AND SNACKS  8.16.2.25 C MENUS  8.16.2.25 E MEALS AND SNACKS  8.16.2.25 E MEAL TIMES  Health & Safety Requirements  8.16.2.26 A HYGIENE  8.16.2.26 B FIRST AID REQUIREMENTS  Deficiencies  The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR). A staff. Regulation: 8.16.2.26 C MEDICATION  All educators must be certified in first aid and cardiopulmonary resuscitation (CPR). Date to be Completed: 09/08/2017  8.16.2.26 C MEDICATION  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  Buildings, Grounds & Safety  8.16.2.29 A HOUSEKEEPING  8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.24 L FIELD TRIPS  Food Service  8.16.2.25 B MEALS AND SNACKS  8.16.2.25 C MENUS  8.16.2.25 C MENUS  8.16.2.25 E MEAL TIMES  Health & Safety Requirements  8.16.2.26 A HYGIENE  8.16.2.26 B FIRST AID REQUIREMENTS  Deficiencies  The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR). 4 staff.  Regulations: 8.16.2.268 II. 2.268(I). Corrective Action Plan  All educators must be certified in first aid and cardiopulmonary resuscitation (CPR).  Date to be Completed: 09/08/2017  8.16.2.26 C MEDICATION  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  Buildings, Grounds & Safety  8.16.2.29 B PEST CONTROL  8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
Food Service  8.16.2.25 B MEALS AND SNACKS  8.16.2.25 C MENUS  8.16.2.25 C MENUS  8.16.2.25 E MEAL TIMES  Health & Safety Requirements  8.16.2.26 A HYGIENE  8.16.2.26 B FIRST AID REQUIREMENTS  Deficiencies  The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR), 4 staff. Regulation: 8.16.2.26 C MEDICATION  All educators must be certified in first aid and cardiopulmonary resuscitation (CPR).  Date to be Completed: 0908/2017  8.16.2.26 C MEDICATION  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  1.6.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS  8.16.2.29 A HOUSEKEEPING  8.16.2.29 A HOUSEKEEPING  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
Food Service  8.16.2.25 C MENUS  8.16.2.25 C MENUS  8.16.2.25 D KITCHENS  Health & Safety Requirements  8.16.2.26 A HYGIENE  8.16.2.26 A HYGIENE  8.16.2.26 B FIRST AID REQUIREMENTS  Deficiencies  The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR), 4 staff. Regulation: 8.16.2.268(1)  Corrective Action Plan All educators must be certified in first aid and cardiopulmonary resuscitation (CPR).  Bate to be Completed: 09/08/2017  8.16.2.26 C MEDICATION  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  8.16.2.29 A HOUSEKEEPING  8.16.2.29 A HOUSEKEEPING  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.25 B MEALS AND SNACKS  8.16.2.25 C MENUS  8.16.2.25 E MEAL TIMES  Health & Safety Requirements  8.16.2.26 A HYGIENE  8.16.2.26 B FIRST AID REQUIREMENTS  Deficiencies The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR), 4 staff. Regulation: 8.16.2.26B(1)  Corrective Action Plan All educators must be certified in first aid and cardiopulmonary resuscitation (CPR). Date to be Completed: 09/08/2017  8.16.2.26 C MEDICATION  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  8.16.2.29 A HOUSEKEEPING  8.16.2.29 B PEST CONTROL  8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.25 C MENUS  8.16.2.25 E MEAL TIMES  Health & Safety Requirements  8.16.2.26 A HYGIENE  8.16.2.26 B FIRST AID REQUIREMENTS Deficiencies The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR), 4 staff. Regulation: 8.16.2.268(1)  Corrective Action Plan All educators must be certified in first aid and cardiopulmonary resuscitation (CPR). Date to be Completed: 09/08/2017  8.16.2.26 C MEDICATION  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS  8.16.2.29 B PEST CONTROL  8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.25 D KITCHENS  8.16.2.25 E MEAL TIMES  Health & Safety Requirements  8.16.2.26 A HYGIENE  8.16.2.26 B FIRST AID REQUIREMENTS Not Deficiencies The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR), 4 staff. Regulation: 8.16.2.26B(1) Date to be Completed: 09/09/2017  8.16.2.26 C MEDICATION  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS  8.16.2.29 A HOUSEKEEPING  8.16.2.29 D WATER AND WASTE  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
Health & Safety Requirements  8.16.2.26 A HYGIENE  8.16.2.26 B FIRST AID REQUIREMENTS  Deficiencies The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR), 4 staff. Regulation: 8.16.2.26B(1)  Corrective Action Plan All educators must be certified in first aid and cardiopulmonary resuscitation (CPR). Date to be Completed: 09/08/2017  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  Buildings, Grounds & Safety  8.16.2.29 A HOUSEKEEPING  8.16.2.29 D WATER AND WASTE  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
Health & Safety Requirements  8.16.2.26 A HYGIENE  8.16.2.26 B FIRST AID REQUIREMENTS Not Deficiencies The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR), 4 staff. Regulation: 8.16.2.26B(1) Corrective Action Plan All educators must be certified in first aid and cardiopulmonary resuscitation (CPR). Date to be Completed: 09/08/2017  8.16.2.26 C MEDICATION  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS  8.16.2.29 A HOUSEKEEPING  8.16.2.29 A HOUSEKEEPING  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.26 A HYGIENE  8.16.2.26 B FIRST AID REQUIREMENTS  Deficiencies  The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR), 4 staff.  Regulation: 8.16.2.26B(1)  Corrective Action Plan All educators must be certified in first aid and cardiopulmonary resuscitation (CPR). Date to be Completed: 09/08/2017  8.16.2.26 C MEDICATION 8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS  Buildings, Grounds & Safety  8.16.2.29 A HOUSEKEEPING 8.16.2.29 C MECHANICAL SYSTEMS 8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL 8.16.2.29 F EXITS AND WINDOWS				
8.16.2.26 B FIRST AID REQUIREMENTS  Deficiencies The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR), 4 staff. Regulation: 8.16.2.26B(1)  Corrective Action Plan All educators must be certified in first aid and cardiopulmonary resuscitation (CPR). Date to be Completed: 09/08/2017  8.16.2.26 C MEDICATION 8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  Buildings, Grounds & Safety  8.16.2.29 A HOUSEKEEPING 8.16.2.29 B PEST CONTROL 8.16.2.29 C MECHANICAL SYSTEMS 8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL 8.16.2.29 F EXITS AND WINDOWS				
Deficiencies The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR), 4 staff. Regulation: 8.16.2.26B(1)  Corrective Action Plan All educators must be certified in first aid and cardiopulmonary resuscitation (CPR). Date to be Completed: 09/08/2017  8.16.2.26 C MEDICATION  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS  8.16.2.29 A HOUSEKEEPING  8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
The center does not have on duty all educators currently certified in first aid and cardiopulmonary resuscitation (CPR), 4 staff.  Regulation: 8.16.2.26B(1)  Corrective Action Plan All educators must be certified in first aid and cardiopulmonary resuscitation (CPR). Date to be Completed: 09/08/2017  8.16.2.26 C MEDICATION  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS  8.16.2.29 A HOUSEKEEPING  8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
All educators must be certified in first aid and cardiopulmonary resuscitation (CPR).  Date to be Completed: 09/08/2017  8.16.2.26 C MEDICATION  8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS  Buildings, Grounds & Safety  8.16.2.29 A HOUSEKEEPING  8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS  8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS  Buildings, Grounds & Safety  8.16.2.29 A HOUSEKEEPING  8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS  Buildings, Grounds & Safety  8.16.2.29 A HOUSEKEEPING  8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
Buildings, Grounds & Safety  8.16.2.29 A HOUSEKEEPING  8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.29 A HOUSEKEEPING  8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.29 B PEST CONTROL  8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.29 C MECHANICAL SYSTEMS  8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.29 D WATER AND WASTE  8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL  8.16.2.29 F EXITS AND WINDOWS				
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL 8.16.2.29 F EXITS AND WINDOWS				
8.16.2.29 F EXITS AND WINDOWS				
8.16.2.29 G TOILET AND BATHING FACILITIES				
8.16.2.29 H SAFETY COMPLIANCE				
No				

Survey Report Form Page 3 of 4

 Center Name:
 License Number:
 Date:

 Sow N Seed
 114421
 08/08/2017

### **Buildings, Grounds & Safety**

#### **Deficiencies**

The center failed to conduct an emergency preparedness practice drills for at least once a quarter.

 $\textbf{Regulation:}\ 8.16.2.29H(1)$ 

#### **Corrective Action Plan**

A center will conduct emergency preparedness practice drills at least quarterly beginning January of each calendar year.

Date to be Completed: 09/08/2017

# Deficiencies

The center's record of fire drills does not include the following: the date for Feb and July.

**Regulation:** 8.16.2.29H(3)(d)

## **Corrective Action Plan**

The record of fire drills will include all required information.

Date to be Completed: 09/08/2017

8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED S	JBSTANCES Compliance
8.16.2.29 J PETS	N/A

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

mp 1/2x

Surveyor:Mark Prizzi

08/08/2017

Date

Sandra anta

**Brenda Casias** 

Facility Rep:Sandra Abeyta

08/08/2017

Date

Survey Report Form Page 4 of 4