

Center Name: Springstone Lrng at Paradise Hills			Address: 4598 Paradise Blvd. NW Albuquerque, NM 87114			Phone: (505)897-8111			
License Number:	Issue Date:	Expiration I	Date:	Type:			Status:	•	
97763	04/10/2016	04/9/2017		5 Star Chi	ld Care Center		Licensed		
Capacity				-		Cei	nsus		
Over Age 2: 120	Under Age 2:	59 Night	Care:	0 F	Playground: 179	Ove	er 2: 11	6 Und	er 2: 20
Days and Hours of Operation									
	<u>Monday</u>	Tuesda	<u>y</u> <u>W</u>	/ednesday	<u>Thursday</u>	<u>Fri</u>	<u>day</u>	Saturday	<u>Sunday</u>
Opening Times	: 6:30	6:30		6:30	6:30	6:	30	Closed	Closed
Closing Times	: 09:00 PM	06:00 PI	M (06:00 PM	06:00 PM	06:0	00 PM		
# of Classrooms:	P	urpose:			Date:		Ti	me:	
9	A	nnual			02/08/2017		09):55 AM	
Comments									
Provided Resource Material									

Provided Resource Material				
A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:				
Licensure				
8.16.2.11 A TYPES OF LICENSES	N/A			
8.16.2.11 B RENEWAL OF LICENSE	N/A			
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	N/A			
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	N/A			
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Compliance			
8.16.2.18 D COMPLAINTS	N/A			
8.16.2.21 A LICENSING REQUIREMENTS	Compliance			
8.16.2.21 B CAPACITY OF CENTERS	Compliance			
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	N/A			
Administrative Requirements				
8.16.2.22 A ADMINISTRATION RECORDS	Compliance			
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Not Inspected			
8.16.2.22 C POLICY AND PROCEDURES	Compliance			
8.16.2.22 D FAMILY HANDBOOK	Not Inspected			
8.16.2.22 E CHILDREN'S RECORDS	Compliance			
8.16.2.22 F PERSONNEL RECORDS	Non-compliance			

Survey Report Form Page 1 of 4

Center Name:	License Number:	Date:
Springstone Lrng at Paradise Hills	97763	02/08/2017

Administrative Requirements

Deficiencies

From the review of staff records, it was determined that 2 out of 26 staff records does/do not include a background check. See Staff Records 8.16.2.22 form for staff with this missing information.

Regulation: 8.16.2.22F(1)(e)

Corrective Action Plan

The center will obtain documentation of a background check.

Date to be Completed: 03/08/2017

Bute to be completed. 66:66/2017			
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected		
Personnel & Staffing			
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance		
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Compliance		
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance		
Services & Care of Children	•		
8.16.2.24 A GUIDANCE	Compliance		
8.16.2.24 B NAPS OR REST PERIOD	Compliance		
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS	Compliance		
8.16.2.24 D DIAPERING AND TOILETING Deficiencies The diaper changing surface in the Toddler - (12 - 24 mo.) ones room(s) is not waterproof. Mat is torn. Regulation: 8.16.2.24D(4) Corrective Action Plan An educator will change a child's diaper on a clean, safe, waterproof surface and discard any disposable cover and disinfect the surface after each diaper change. Date to be Completed: 03/08/2017	Non-compliance		
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS	Compliance		
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE	N/A		
8.16.2.24 G PHYSICAL ENVIRONMENT	Compliance		
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT	Compliance		
8.16.2.24 I EQUIPMENT AND PROGRAM	Compliance		
8.16.2.24 J OUTDOOR PLAY AREAS	Compliance		
8.16.2.24 K SWIMMING, WADING AND WATER	N/A		
8.16.2.24 L FIELD TRIPS	N/A		
Food Service			
8.16.2.25 B MEALS AND SNACKS	Compliance		
8.16.2.25 C MENUS	Compliance		
8.16.2.25 D KITCHENS	Compliance		

Survey Report Form Page 2 of 4

Center Name: Springstone Lrng at Paradise Hills	License Number:	Date: 02/08/2017	
	Food Service		
8.16.2.25 E MEAL TIMES			Not Inspected
Health	& Safety Requirements		
8.16.2.26 A HYGIENE			Compliance
8.16.2.26 B FIRST AID REQUIREMENTS			Non-compliance
<u>Deficiencies</u> The center does not have on duty all educators currently of cardiopulmonary resuscitation (CPR). (2 staff) Regulation: 8.16.2.26B(1)	certified in first aid and		
Corrective Action Plan All educators must be certified in first aid and cardiopulmo Date to be Completed: 03/22/2017	onary resuscitation (CPR).		
8.16.2.26 C MEDICATION			Compliance
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS			N/A
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTE	RS		N/A
Buildi	ings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING			Non-compliance
The Ceiling tiles are not in good repair as evidenced by tile Regulation: 8.16.2.29A(1) Corrective Action Plan Repairs will be completed and a system for routine inspec			
will be established. Date to be Completed: 03/08/2017 Deficiencies The Equipment are not in good repair as evidenced by mo	olding on sink is chipped.		
Regulation: 8.16.2.29A(1) Corrective Action Plan Repairs will be completed and a system for routine inspect will be established. Date to be Completed: 03/08/2017	ction of the center and premises		
<u>Deficiencies</u> The Premises are not in good repair as evidenced by gree Regulation: 8.16.2.29A(1)	en barriers are torn on playground.		
Corrective Action Plan Repairs will be completed and a system for routine inspect will be established. Date to be Completed: 03/08/2017	ction of the center and premises		
8.16.2.29 B PEST CONTROL			Compliance
8.16.2.29 C MECHANICAL SYSTEMS			Compliance
8.16.2.29 D WATER AND WASTE			Compliance

Survey Report Form Page 3 of 4

Springstone Lrng at Paradise Hills	97763	02/08/2017		
Buildings, Grounds & Safety				
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL			Compliance	
8.16.2.29 F EXITS AND WINDOWS			Compliance	
8.16.2.29 G TOILET AND BATHING FACILITIES			Compliance	
8.16.2.29 H SAFETY COMPLIANCE			Compliance	
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS	AND CONTROLLED SUBSTANC	ES	N/A	
8.16.2.29 J PETS			N/A	

License Number:

Date:

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

Maldorf 124

02/08/2017

A CIMAN

02/08/2017

Surveyor:Helen Waldorf

Date

Facility Rep:Norma Cantu

Page 4 of 4

Date

Center Name: