

Center Name:			Address: 2740 Northrise Drive				Phone:	Phone:	
The Children's Garden on Northrise			Las Cruces, NM 88011				(575)522	2-5700	
License Number:	Issue Date:	Expiration I	Date:	Type:			Status:		
131386	01/8/2017	01/7/2018	5 Star FOCUS Child Care Center Licensed						
Capacity				•		Ce	nsus		
Over Age 2: 110	Under Age 2:	28 Night	Care:	0 F	Playground: 0	Ove	er 2:	49 L	Jnder 2: 7
Days and Hours of Operation									
	<u>Monday</u>	Tuesda	<u>y</u> <u>W</u>	<u>/ednesday</u>	<u>Thursday</u>	<u>Fri</u>	<u>day</u>	Saturday	<u>Sunday</u>
Opening Times:	06:00 AM	06:00 AI	M (06:00 AM	06:00 AM	06:0	0 AM	Closed	Closed
Closing Times	06:00 PM	06:00 PI	M (06:00 PM	06:00 PM	06:0	0 PM		
# of Classrooms:	ı	Purpose:			Date:		-	Time:	
7		Semi-Annual			07/07/2017			09:45 AM	
Comments									

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF	THE REGULATIONS AS NOTED BELOW:			
Licensure				
8.16.2.11 A TYPES OF LICENSES	Compliance			
8.16.2.11 B RENEWAL OF LICENSE	N/A			
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	N/A			
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	N/A			
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Compliance			
8.16.2.18 D COMPLAINTS	Compliance			
8.16.2.21 A LICENSING REQUIREMENTS	Compliance			
8.16.2.21 B CAPACITY OF CENTERS	Compliance			
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	N/A			
Administrative Requirements				
8.16.2.22 A ADMINISTRATION RECORDS	Compliance			
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Compliance			
8.16.2.22 C POLICY AND PROCEDURES	Not Inspected			
8.16.2.22 D FAMILY HANDBOOK	Not Inspected			
8.16.2.22 E CHILDREN'S RECORDS	Not Inspected			
8.16.2.22 F PERSONNEL RECORDS	Compliance			
8.16.2.22 G PERSONNEL HANDBOOK	Not Inspected			
Personnel & Staffing				
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS	Compliance			
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING	Non-compliance			

Survey Report Form Page 1 of 3

Center Name:	License Number:	Date:	
The Children's Garden on Northrise	131386	07/07/2017	

Personnel & Staffing

Deficiencies

From the review of staff records, it was determined that 2 out of 9 staff does/do not have documentation of the 45-hour entry level course or an approved equivalent prior to or within six months of employment.

Regulation: 8.16.2.23B(2)(c)

Corrective Action Plan

Training will be completed for staff as required and documentation retained on file.

Date to be Completed: 08/07/2017

8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES	Compliance			
Services & Care of Children				
8.16.2.24 A GUIDANCE	Compliance			
8.16.2.24 B NAPS OR REST PERIOD	Not Inspected			
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS	Compliance			
8.16.2.24 D DIAPERING AND TOILETING	Compliance			
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS	Not Inspected			
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE	N/A			
8.16.2.24 G PHYSICAL ENVIRONMENT	Compliance			
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT	Compliance			
8.16.2.24 I EQUIPMENT AND PROGRAM	Compliance			
8.16.2.24 J OUTDOOR PLAY AREAS	Compliance			
8.16.2.24 K SWIMMING, WADING AND WATER	N/A			
8.16.2.24 L FIELD TRIPS	Not Inspected			
Food Service				
8.16.2.25 B MEALS AND SNACKS	Compliance			
8.16.2.25 C MENUS	Compliance			
8.16.2.25 D KITCHENS	Compliance			
8.16.2.25 E MEAL TIMES	Compliance			
Health & Safety Requirements				
8.16.2.26 A HYGIENE	Compliance			
8.16.2.26 B FIRST AID REQUIREMENTS	Not Inspected			
8.16.2.26 C MEDICATION	N/A			
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS	Compliance			
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS	Not Inspected			
Buildings, Grounds & Safety				
8.16.2.29 A HOUSEKEEPING	Compliance			
8.16.2.29 B PEST CONTROL	N/A			

Survey Report Form Page 2 of 3

Center Name:	License Number:	Date:			
The Children's Garden on Northrise	131386	07/07/2017			
Buildings, Grounds & Safety					
8.16.2.29 C MECHANICAL SYSTEMS			Compliance		
8.16.2.29 D WATER AND WASTE			Compliance		
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL			Compliance		
8.16.2.29 F EXITS AND WINDOWS			Compliance		
8.16.2.29 G TOILET AND BATHING FACILITIES			Compliance		
8.16.2.29 H SAFETY COMPLIANCE			Non-compliance		
<u>Deficiencies</u> The center failed to conduct an emergency preparedness pra quarter. <u>Regulation</u> : 8.16.2.29H(1)	actice drills for at least once a				
Corrective Action Plan A center will conduct emergency preparedness practice drills January of each calendar year. Date to be Completed: 08/07/2017	at least quarterly beginning				
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEC	GAL DRUGS AND CONTROLLED SUBS	TANCES	Compliance		
8.16.2.29 J PETS			N/A		
		•			

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

Emma Gorgades 12:05

Surveyor:Emma Gonzales

07/07/2017

Date

07/07/2017

Date

Survey Report Form Page 3 of 3

Facility Rep:Noemi Garcia