



**Facility**

**Name:** Wesley Kids Childcare & Preschool **License Number:** 10361  
**Address:** 315 Coal Ave. SW, Albuquerque, NM 87102  
**Phone:** 5052472404 **Fax:** **E-mail:** n/a

**License Information**

**Type:** 5 Star FOCUS Child Care Center **Status:** Licensed **Issue Date:** 12/15/2018 **Expiration Date:** 12/14/2019

**Capacity**

**Over Age 2:** 93 **Under Age 2:** 49 **Night Care:** 0 **Playground:** 79  
**Square Footage:** 0

**Census**

**Over 2:** 23 **Under 2:** 44

**Classrooms**

**Number of Classrooms:** 6

**Days and Hours of Operation**

<b>Monday</b> 7:00 AM - 6:00 PM	<b>Tuesday</b> 7:00 AM - 6:00 PM	<b>Wednesday</b> 7:00 AM - 6:00 PM	<b>Thursday</b> 7:00 AM - 6:00 PM	<b>Friday</b> 7:00 AM - 6:00 PM
<b>Saturday</b> Closed	<b>Sunday</b> Closed			

**Inspection**

**Date:** 11/15/2018 **Time In:** 3:00 PM **Time Out:** 3:45 PM **Purpose:** Complaint

**Licensure**

8.16.2.11 A Types of Licenses	<i>Not Inspected</i>
8.16.2.11 B Renewal of License	<i>Not Inspected</i>
8.16.2.11 D Non-transferable Restrictions of License	<i>Not Inspected</i>
8.16.2.12 A, K, M Licensing Actions and Administrative Appeals	<i>Not Inspected</i>
8.16.2.17 E, F Surveys for Child Care Facilities	<i>Not Inspected</i>
8.16.2.18 D Complaints	<i>Not Inspected</i>
8.16.2.21 A Licensing Requirements	<i>Not Inspected</i>
8.16.2.21 B Capacity of Centers	<i>Not Inspected</i>

### Administrative Requirements *(continued)*

8.16.2.21 C Incident Reporting Requirements *Compliance*

### Administrative Requirements

8.16.2.22 A Administrative Records *Not Inspected*

8.16.2.22 B Mission, Philosophy and Curriculum Statement *Not Inspected*

8.16.2.22 C Policy and Procedures *Not Inspected*

8.16.2.22 D Family Handbook *Not Inspected*

8.16.2.22 E Children's Records *Not Inspected*

8.16.2.22 F Personnel Records *Not Inspected*

8.16.2.22 G Personnel Handbook *Not Inspected*

### Personnel & Staffing

8.16.2.23 A Personnel and Staffing Requirements *Not Inspected*

8.16.2.23 B Staff Qualifications and Training *Not Inspected*

8.16.2.23 C Staff/Child Ratios and Group Sizes *Not Inspected*

### Services & Care of Children

8.16.2.24 A Guidance *Not Inspected*

8.16.2.24 B Naps or Rest Period *Not Inspected*

8.16.2.24 C Additional Requirements for Infants and Toddlers *Not Inspected*

8.16.2.24 D Diapering and Toileting *Not Inspected*

8.16.2.24 E Additional Requirements for Children with Special Needs *Not Inspected*

8.16.2.24 F Additional Requirements for Night Care *Not Inspected*

8.16.2.24 G Physical Environment *Not Inspected*

8.16.2.24 H Social-Emotional Responsive Environment *Not Inspected*

8.16.2.24 I Equipment and Program *Not Inspected*

8.16.2.24 J Outdoor Play Areas *Not Inspected*

8.16.2.24 K Swimming, Wadding and Water *Not Inspected*

8.16.2.24 L Field Trips *Not Inspected*

### Food Service

8.16.2.25 B Meals and Snacks *Not Inspected*

**Food Service (continued)**

8.16.2.25 C Menus	<i>Not Inspected</i>
8.16.2.25 D Kitchens	<i>Not Inspected</i>
8.16.2.25 E Meal Times	<i>Not Inspected</i>

**Health & Safety Requirements**

8.16.2.26 A Hygiene	<i>Not Inspected</i>
8.16.2.26 B First Aid Requirements	<i>Not Inspected</i>
8.16.2.26 C Medication	<i>Not Inspected</i>
8.16.2.27 A-D Illness Requirements for Centers	<i>Not Inspected</i>
8.16.2.28 A-H Transportation Requirements for Centers	<i>Not Inspected</i>

**Buildings, Grounds & Safety**

8.16.2.29 A Housekeeping	<b>Non-compliance</b>
--------------------------	-----------------------

*The premises in the restroom are not safe in that a cleaning solution was not properly diluted causing burns/irritation to children's skin. Cleaning crew will now only use bleach to water sanitizing solution specified by the Licensing regulations.*

*Corrective Action Plan*

*The safety violation will be corrected and a system for routine safety inspection developed.*

Regulation: 8.16.2.29.A.1.

Date to be Completed: 12/15/2018

8.16.2.29 B Pest Control	<i>Not Inspected</i>
8.16.2.29 C Mechanical Systems	<i>Not Inspected</i>
8.16.2.29 D Water and Waste	<i>Not Inspected</i>
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	<i>Not Inspected</i>
8.16.2.29 F Exits and Windows	<i>Not Inspected</i>
8.16.2.29 G Toilet and Bathing Facilities	<i>Not Inspected</i>
8.16.2.29 H Safety Compliance	<i>Not Inspected</i>
8.16.2.29 H3(f)(i)(k) Safety Compliance	<i>Not Inspected</i>
8.16.2.29 J Pets	<i>Not Inspected</i>

**Additional Comments**

*Complaint dated 11/13/18, director also self reported the incident.*

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.



Surveyor: *Mark Prizzi*



Facility Representative: *Rana Cordova*