

Center Name: Y D I Headstart - Sonrisa de Chimayo		Address: 73 Cty Rd 93 #31 Chimayo, NM 87522			Phone: (505)351-4142		
License Number: 155403	Issue Date: 10/5/2016	Expiration Date: 10/4/2017	Type: 5 Star FOCUS Child Care Center		Status: Licensed		
Capacity					Census		
Over Age 2:	20	Under Age 2:	0	Night Care:	0	Playground:	20
		Over 2:	10	Under 2:	0		
Days and Hours of Operation							
	<u>Monday</u>	<u>Tuesday</u>	<u>Wednesday</u>	<u>Thursday</u>	<u>Friday</u>	<u>Saturday</u>	<u>Sunday</u>
Opening Times:	08:30 AM	08:30 AM	08:30 AM	08:30 AM	08:30 AM	Closed	Closed
Closing Times:	02:30 PM	02:30 PM	02:30 PM	02:30 PM	02:30 PM		
# of Classrooms: 1	Purpose: Annual		Date: 08/22/2017		Time: 10:15 AM		
Comments							

A SURVEY OF YOUR FACILITY HAS BEEN MADE AND YOU ARE NOTIFIED OF NON-COMPLIANCE OF THE REGULATIONS AS NOTED BELOW:

Licensure	
8.16.2.11 A TYPES OF LICENSES	Compliance
8.16.2.11 B RENEWAL OF LICENSE	Compliance
8.16.2.11 D NON-TRANSFERABLE RESTRICTIONS OF LICENSE	Not Inspected
8.16.2.12 A, K, M LICENSING ACTIONS AND ADMINISTRATIVE APPEALS	Not Inspected
8.16.2.17 E, F SURVEYS FOR CHILD CARE FACILITIES	Not Inspected
8.16.2.18 D COMPLAINTS	Not Inspected
8.16.2.21 A LICENSING REQUIREMENTS	Compliance
8.16.2.21 B CAPACITY OF CENTERS	Compliance
8.16.2.21 C INCIDENT REPORTING REQUIREMENTS	Not Inspected
Administrative Requirements	
8.16.2.22 A ADMINISTRATION RECORDS <u>Deficiencies</u> The center failed to display in a prominent place that is readily visible to parents, staff and visitors the most recent fire inspection report. Regulation: 8.16.2.22A <u>Corrective Action Plan</u> The center will post the missing item. Date to be Completed: 09/22/2017	Non-compliance
8.16.2.22 B MISSION, PHILOSOPHY AND CURRICULUM STATEMENT	Compliance
8.16.2.22 C POLICY AND PROCEDURES	Compliance
8.16.2.22 D FAMILY HANDBOOK	Compliance
8.16.2.22 E CHILDREN'S RECORDS	Compliance
8.16.2.22 F PERSONNEL RECORDS	Non-compliance


Center Name: Y D I Headstart - Sonrisa de Chimayo	License Number: 155403	Date: 08/22/2017
Administrative Requirements		
Deficiencies		
From the review of staff records, it was determined that 1 out of 3 staff records does/do not include documentation of current first-aid and cardiopulmonary resuscitation training. See Staff Records 8.16.2.22 form for staff without verification of training.		
Regulation: 8.16.2.22F(1)(g)		
Corrective Action Plan		
The center will obtain documentation of first-aid and CPR training and retain on file.		
Date to be Completed: 09/22/2017		
8.16.2.22 G PERSONNEL HANDBOOK		Compliance
Personnel & Staffing		
8.16.2.23 A PERSONNEL AND STAFFING REQUIREMENTS		Compliance
8.16.2.23 B STAFF QUALIFICATIONS AND TRAINING		Compliance
8.16.2.23 C STAFF/CHILD RATIOS AND GROUP SIZES		Compliance
Services & Care of Children		
8.16.2.24 A GUIDANCE		Compliance
8.16.2.24 B NAPS OR REST PERIOD		Not Inspected
8.16.2.24 C ADDITIONAL REQUIREMENTS FOR INFANTS AND TODDLERS		Not Inspected
8.16.2.24 D DIAPERING AND TOILETING		Compliance
8.16.2.24 E ADDITIONAL REQUIREMENTS FOR CHILDREN WITH SPECIAL NEEDS		Compliance
8.16.2.24 F ADDITIONAL REQUIREMENTS FOR NIGHT CARE		N/A
8.16.2.24 G PHYSICAL ENVIRONMENT		Compliance
8.16.2.24 H SOCIAL-EMOTIONAL RESPONSIVE ENVIRONMENT		Compliance
8.16.2.24 I EQUIPMENT AND PROGRAM		Compliance
8.16.2.24 J OUTDOOR PLAY AREAS		Compliance
8.16.2.24 K SWIMMING, WADING AND WATER		Not Inspected
8.16.2.24 L FIELD TRIPS		Not Inspected
Food Service		
8.16.2.25 B MEALS AND SNACKS		Compliance
8.16.2.25 C MENUS		Compliance
8.16.2.25 D KITCHENS		Compliance
8.16.2.25 E MEAL TIMES		Compliance
Health & Safety Requirements		
8.16.2.26 A HYGIENE		Compliance
8.16.2.26 B FIRST AID REQUIREMENTS		Compliance
8.16.2.26 C MEDICATION		Compliance
8.16.2.27 A-D ILLNESS REQUIREMENTS FOR CENTERS		Compliance

Center Name: Y D I Headstart - Sonrisa de Chimayo	License Number: 155403	Date: 08/22/2017
Health & Safety Requirements		
8.16.2.28 A-H TRANSPORTATION REQUIREMENTS FOR CENTERS		Not Inspected
Buildings, Grounds & Safety		
8.16.2.29 A HOUSEKEEPING		Compliance
8.16.2.29 B PEST CONTROL		Compliance
8.16.2.29 C MECHANICAL SYSTEMS		Compliance
8.16.2.29 D WATER AND WASTE		Compliance
8.16.2.29 E LIGHTING, LIGHTING FIXTURES AND ELECTRICAL		Non-compliance
<p><u>Deficiencies</u> The center does not have emergency lighting that turns on automatically when electrical service is disrupted. Regulation: 8.16.2.29E(2)</p> <p><u>Corrective Action Plan</u> Emergency lighting will be installed. Date to be Completed: 09/22/2017</p>		
8.16.2.29 F EXITS AND WINDOWS		Compliance
8.16.2.29 G TOILET AND BATHING FACILITIES		Compliance
8.16.2.29 H SAFETY COMPLIANCE		Non-compliance
<p><u>Deficiencies</u> The center failed to conduct an emergency preparedness practice drills for at least once a quarter. Regulation: 8.16.2.29H(1)</p> <p><u>Corrective Action Plan</u> A center will conduct emergency preparedness practice drills at least quarterly beginning January of each calendar year. Date to be Completed: 09/22/2017</p>		
8.16.2.29 I SMOKING, FIREARMS, ALCOHOLIC BEVERAGES, ILLEGAL DRUGS AND CONTROLLED SUBSTANCES		Compliance
8.16.2.29 J PETS		Not Inspected

Please note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans as noted above, may result in further action taken against the licensee.

 11:30 AM

08/22/2017



08/22/2017

Surveyor: Dion Ortega	Date	Facility Rep: Pablita Esquivel	Date
-----------------------	------	--------------------------------	------