Facility

Name: YDI Severo T Padilla Head Start License Number: 90454

Address: 2525 Los Padillas Rd SW, Albuquerque, NM 87105

Phone: 5058733841 Fax: N/A E-mail: N/A

License Information

Type: 5 Star FOCUS Child Status: Licensed Issue Date: 05/01/2018 Expiration Date:

Care Center 04/30/2019

Capacity

Over Age 2: 40 Under Age 2: Night Care: Playground: 40

Square Footage: N/A

Census

Over 2: 30 Under 2: 0

Classrooms

Number of Classrooms: 2

Days and Hours of Operation

 Monday
 Tuesday
 Wednesday
 Thursday
 Friday

 7:30 AM - 4:30 PM
 7:30 AM - 4:30 PM

Saturday Sunday

Closed Closed

Inspection

Date: 03/04/2019 Time In: 10:30 AM Time Out: 1:30 PM Purpose: Annual

Licensure

8.16.2.11 A Types of Licenses

N/A

8.16.2.11 B Renewal of License

8.16.2.11 D Non-transferable Restrictions of License

8.16.2.12 A, K, M Licensing Actions and Administrative Appeals

N/A

N/A

8.16.2.17 E, F Surveys for Child Care Facilities Compliance

8.16.2.18 D Complaints *N/A*

8.16.2.21 A Licensing Requirements Compliance

8.16.2.21 B Capacity of Centers Compliance

03/04/2019 https://cyfd.org/ 1 of 4

YDI Severo T Padilla Head Start	90454
Administrative Requirements (continued)	
8.16.2.21 C Incident Reporting Requirements	N/A
Administrative Requirements	
8.16.2.22 A Administrative Records	Compliance
8.16.2.22 B Mission, Philosophy and Curriculum Statement	Not Inspected
8.16.2.22 C Policy and Procedures	Not Inspected
8.16.2.22 D Family Handbook	Not Inspected
8.16.2.22 E Children's Records	Compliance
8.16.2.22 F Personnel Records	Compliance
8.16.2.22 G Personnel Handbook	Not Inspected
Personnel & Staffing	
8.16.2.23 A Personnel and Staffing Requirements	Compliance
8.16.2.23 B Staff Qualifications and Training	Compliance
8.16.2.23 C Staff/Child Ratios and Group Sizes	Compliance
Services & Care of Children	
8.16.2.24 A Guidance	Compliance
8.16.2.24 B Naps or Rest Period	Non-compliance
The Napping mats being used do not have a nonabsorbent, clear is exposed.	nable surface. Napping mats are torn, foam
Corrective Action Plan	
The center will provide a nonabsorbent, cleanable surface.	
Regulation: 8 16 2 24 B 5	Date to be Completed: 04/06/2019

Regulation: *8.16.2.24.B.5*. Date to be Completed: 04/06/2019

8.16.2.24 C Additional Requireme	ents for Infants and Toddlers	N/A
8.16.2.24 D Diapering and Toileti	ing	Compliance
8.16.2.24 E Additional Requireme	ents for Children with Special Needs	Compliance
8.16.2.24 F Additional Requireme	ents for Night Care	N/A
8.16.2.24 G Physical Environment	 :	Compliance
8.16.2.24 H Social-Emotional Res	sponsive Environment	Compliance
03/04/2010	https://a.fd.org/	2 of 4

Services & Care of Children (continued)	
8.16.2.24 I Equipment and Program	Compliance
8.16.2.24 J Outdoor Play Areas	Compliance
8.16.2.24 K Swimming, Wading and Water	N/A
8.16.2.24 L Field Trips	N/A
Food Service	
8.16.2.25 B Meals and Snacks	Compliance
8.16.2.25 C Menus	Compliance
8.16.2.25 D Kitchens	Non-compliance
The refrigerator in the class room does not have a working internal the	rmometer.
Corrective action Plan The center will obtain and place a working thermometer in classroom r	efrigerator
Regulation: 8.16.2.25.D.6.	Date to be Completed: 04/06/2019
8.16.2.25 E Meal Times	Compliance
Health & Safety Requirements	
8.16.2.26 A Hygiene	Compliance
8.16.2.26 B First Aid Requirements	Compliance
8.16.2.26 C Medication	N/A
8.16.2.27 A-D Illness Requirements for Centers	N/A
8.16.2.28 A-H Transportation Requirements for Centers	N/A
Buildings, Grounds & Safety	
8.16.2.29 A Housekeeping	Compliance
8.16.2.29 B Pest Control	Compliance
8.16.2.29 C Mechanical Systems	Compliance
	Compilance
8.16.2.29 D Water and Waste	Compliance
8.16.2.29 D Water and Waste 8.16.2.29 E Lighting, Lighting Fixtures and Electrical	·
	Compliance
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	Compliance Compliance

YDI Severo T Padilla Head Start

90454

Buildings, Grounds & Safety (continued)

8.16.2.29 H Safety Compliance

Compliance

8.16.2.29 H3(f)(i)(k) Safety Compliance

Compliance

8.16.2.29 J Pets

N/A

Additional Comments

None

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.

Surveyor: Helen Waldorf

Facility Representative: Eva Robles