



Facility

Name: YDI Severo T Padilla Head Start

License Number: 90454

Address: 2525 Los Padillas Rd SW, Albuquerque, NM 87105

Phone: 5058733841

Fax: N/A

E-mail: N/A

License Information

Type: 5 Star FOCUS Child
Care Center

Status: Licensed

Issue Date: 05/01/2019

Expiration Date:
04/30/2020

Capacity

Over Age 2: 40

Under Age 2:

Night Care:

Playground: 40

Square Footage: N/A

Census

Over 2: 0

Under 2: 0

Classrooms

Number of Classrooms: 2

Days and Hours of Operation

Monday

7:30 AM - 4:30 PM

Tuesday

7:30 AM - 4:30 PM

Wednesday

7:30 AM - 4:30 PM

Thursday

7:30 AM - 4:30 PM

Friday

7:30 AM - 4:30 PM

Saturday

Closed

Sunday

Closed

Inspection

Date: 04/18/2019

Time In: 10:48 AM

Time Out: 11:00 AM

Purpose: Follow-up

Licensure Requirements for Centers:

8.16.2.21 B (3)c Capacity of Centers

Not Inspected

Personnel and Staffing Requirements for Centers:

8.16.2.23 C Staff/Child Ratios and Group Sizes

Not Inspected

Services and Care of Children in Centers:

8.16.2.24 A Guidance

Not Inspected

8.16.2.24 B Naps or Rest Period

Compliance

8.16.2.24 D Diapering and Toileting

Not Inspected

8.16.2.24 E Additional Requirements for Children with Special Needs

Not Inspected

Services and Care of Children in Centers: *(continued)*

8.16.2.24 G Physical Environment	<i>Not Inspected</i>
8.16.2.24 H Social-Emotional Responsive Environment	<i>Not Inspected</i>
8.16.2.24 I Equipment and Program	<i>Not Inspected</i>

Food Service Requirements for Centers:

8.16.2.25 A Meal Pattern Requirements	<i>Not Inspected</i>
8.16.2.25 B Meals and Snacks	<i>Not Inspected</i>
8.16.2.25 B3 Meals and Snacks	<i>Not Inspected</i>
8.16.2.25 C Menus	<i>Not Inspected</i>
8.16.2.25 D Kitchens	<i>Compliance</i>
8.16.2.25 E Meal Times	<i>Not Inspected</i>

Health and Safety Requirements for Centers:

8.16.2.26 A Hygiene	<i>Not Inspected</i>
8.16.2.26 C Medication	<i>Not Inspected</i>

Illness Requirements for Centers:

8.16.2.27 A-D Illness Requirements for Centers	<i>Not Inspected</i>
--	----------------------

Building, Ground and Safety Requirements for Centers:

8.16.2.29 A Housekeeping	<i>Not Inspected</i>
8.16.2.29 C Mechanical Systems	<i>Not Inspected</i>
8.16.2.29 D Water and Waste	<i>Not Inspected</i>
8.16.2.29 E Lighting, Lighting Fixtures and Electrical	<i>Not Inspected</i>
8.16.2.29 F Exits and Windows	<i>Not Inspected</i>
8.16.2.29 G Toilet and Bathing Facilities	<i>Not Inspected</i>
8.16.2.29 H Safety Compliance	<i>Not Inspected</i>
8.16.2.29 H3(f)(i)(k) Safety Compliance	<i>Not Inspected</i>
8.16.2.29 J Pets	<i>Not Inspected</i>

Additional Comments


Deficiencies cited at Annual Survey have been corrected. Corrections submitted via e-mail. No further action required.

Signatures

Please Note: Per CYFD regulation NMAC 8.16.2, failure to comply with the corrective action plans noted above, may result in further action taken against the licensee.



Surveyor: Helen Waldorf



Facility Representative: Eva Robles