Program Inspection Licensed Day Care Programs Compliance Plan

Provider's Name: EmBe South Child Care Center City: Sioux Falls Provider Number: 010605399

Inspector: Rita Trager Date of Inspection: 08/22/2018 Time of Inspection: 7:53 AM

The items listed below are those that the provider was not in compliance with at the time of the inspection.

C. Staff-Child Ratios

27. Is the staff to child ratio met at all times? 67:42:10:07 NOTE: Ratio is 1 staff to every 5 children age birth up to 3 years; 1 staff to every 10 children ages 3 to 6 years; and 1 staff to every 15 children over 6 years of age. Mixed age groups meet requirements of the majority age except when 3 or more children under age 3 are present, then the ratio for children under age 3 must be met which is 1 staff to every 5 children.

Corrections To Be Made:

School age classroom is out of ratio. There are 84 children and five staff. Number of children requires six staff.

* Situation was corrected immediately when coordinator was made aware of the ratio issue.

Agency Action:

Compliance Plan

Suggested Completion Date:

Actual Completion Date:

08/22/2018 08/22/2018

Status: Corrected Immediately

G. Record Keeping, Posting Information and Fire & Tornado Drills

40. Are staff records complete? 67:42:10:09 Note: Staff records are to be maintained at the facility for 6 months following the end of employment.

Corrections To Be Made: Agency Action: **Compliance Plan**

KB - Training JC - CPR, Training CC - CPR, Training

SB - CPR, Training

SD - Training VE - CPR, Training

BH - CPR, Training SK - Training

MK - Central Registry Check

LL - Sex Offender Registry Check

GL - Central Registry Check, Sex Offender Registry Check

KS - Training **CW** - Training

Suggested

Completion

07/25/2018

Status: Corrected

Date:

Actual

Date:

Completion

07/23/2018

41. Are children's records complete? 67:42:16:13 Note: Children's records are to be maintained at the facility for 6 months following the date care ceases.

Corrections To Be Made: Agency Action:

Compliance Plan CA - Immunization Records

BA - Immunization Records Suggested Actual **BA - Immunization Records**

Completion Completion **EA - Immunization Records** Date: Date: **MA - Immunization Records**

EB - Immunization Records 08/30/2018 09/06/2018

AB - Immunization Records **KB - Immunization Records**

Status: Corrected **LB - Immunization Records TB - Immunization Records BB - Immunization Records**

TD - Immunization Records LF - Immunization Records **RH - Immunization Records**

JL - Emergency Permission, Immunization Records

ML - Immunization Records

MK - Immunization Records JK - Immunization Records

MM - Immunization Records

MM - Emergency Permission, Immunization Records

KM - Immunization Records

SP - Immunization Records

JP - Emergency Permission, Immunization Records

BP - Immunization Records

AW - Immunization Records

KW - Emergency Permission

HW - Immunization Records

OW - Immunization Records

CW - Immunization Records

OW - Immunization Records

Miscellaneous Rule Violations

61:15:01 - Fire Safety Standards

Multiple classrooms have items stored too close to ceiling. * Move items so that they are 18 inches below sprinkler heads or 24 inch below the ceiling. *Items have been moved.			Compliance Plan Suggested Completion Date:		Actual Completion Date:	
nems have been	noveu.		08/30/2	018	09/06/2018	
			Otatos.	Corrected		
y Norgaard	07/11/2018	Rita Trager				
der Signature	 Date	Inspector Signature			Date	