Family Day Care Inspection Compliance Plan

Provider's Name:	Beth Salmen	City:	Madison	Provider Number:	011507507
Inspector:	Rachel Holm	Date of Inspection:	01/22/2020	Time of Inspection:	3:56 PM

The items listed below are those that the provider was not in compliance with at the time of the inspection.

B. Record Keeping/Fire Safety & Emergency Weather Drills

30. Does each child's record contain all required information? 67:42:16:13

Corrections To Be Made:	Agency Action:
EB - Immunization Records KR - Immunization Records	Compliance Plan
KK - Immunization Records	SuggestedActualCompletionCompletionDate:Date:
	02/18/2020 02/03/2020
	Status: Corrected

C. Health & Safety Features of the Home - Indoor Environmental Observations

69. Is the hot water temperature at hand washing sinks maintained at 120 degrees or lower? 67:42:03:11.05

Corrections To Be Made:	Agency Action:		
Temperature of hot water upstairs registered at 122 degrees.	Compliance Plan		
Provider turned down water temperature and ensured that hot water temp was at 120 degrees or lower.	at hot water Suggested Completion Date:		
	01/31/2020	01/31/2020	
	Status: Corrected	Status: Corrected	

Beth Salmen

Provider Signature

01/28/2020

Date

Rachel Holm

Inspector Signature

01/28/2020

Date