## Family Day Care Inspection Compliance Plan

Provider's Name:	Samantha Intermill	City:	Brookings	Provider Number:	011516684
Inspector:	Kelly Gnat	Date of Inspection:	10/16/2019	Time of Inspection:	11:28 AM

The items listed below are those that the provider was not in compliance with at the time of the inspection.

## B. Record Keeping/Fire Safety & Emergency Weather Drills

30. Does each child's record contain all required information? 67:42:16:13

Corrections To Be Made:	Agency Action:	Agency Action:		
MC - Immunization Records	Compliance Pla	Compliance Plan		
SO - Emergency Contact JO - Immunization Records	Suggested Completion Date:	Actual Completion Date:		
	11/16/2019	11/06/2019		
	Status: Correcte	Status: Corrected		

## C. Health & Safety Features of the Home - Indoor Environmental Observations

75. Is there an operating smoke detector with audible alarm located on each level of the home (regardless if level is used for care of children or not)? 67:42:03:11.02

Corrections To Be Made:	Agency Action:	
Current smoke detectors on both floors of the home need to be replaced due to not being operational.	Compliance Plan Suggested	Actual Completion Date:
**Provider replaced old smoke detectors with new operating smoke detectors on both levels of the home.**	Completion Date:	
	11/16/2019	11/06/2019
	Status: Corrected	

Samantha Intermill

Provider Signature

10/16/2019

Date

Kelly Gnat

Inspector Signature

10/16/2019

Date