Family Day Care Inspection Compliance Plan

Provider's Name:	Laura Quam	City:	Watertown	Provider Number:	011517034
Inspector:	Rachel Holm	Date of Inspection:	01/14/2019	Time of Inspection:	10:30 AM

The items listed below are those that the provider was not in compliance with at the time of the inspection.

B. Record Keeping/Fire Safety & Emergency Weather Drills

30. Does each child's record contain all required information? 67:42:16:13

Corrections To Be Made:	Agency Action:	
C - Enrollment Date, Information Sheet, Emergency Contact, Emergency Permission, Immunization Records J - Enrollment Date, Information Sheet, Emergency Contact, Emergency Permission, Immunization Records M - Immunization Records R - Enrollment Date, Information Sheet, Emergency Contact, Emergency Permission, Immunization Records JC - Enrollment Date, Information Sheet, Emergency Contact, Emergency Permission ES - Immunization Records	Compliance Plan Suggested Completion Date: 02/15/2019 Status: Corrected	Actual Completion Date: 02/15/2019

34. Has the provider completed six hours of training in at least three topic areas in the past year? Of those hours, only three are limited to reading or watching TV or video etc. 67:42:03:07.02

Corrections To Be Made:	Agency Action:	
Provider is missing proof of 5.5 hours of training for 2018.	Compliance Plan	
Training records obtained from Family Resource Network for 2018. Provider received copies of training records and filed them for any future needs.	Suggested Completion Date:	Actual Completion Date:
	02/15/2019	02/15/2019
	Status: Corrected	

C. Health & Safety Features of the Home - Indoor Environmental Observations

61. Is there a fully charged, portable fire extinguisher, with minimum 2A rating, kept near the food prep area? 67:42:03:11.02

Corrections To Be Made:	Agency Action:	
Provider did not have a 2A rated fire extinguisher in the home at time of inspection.	Compliance Plan	
New 2A rated fire extinguisher purchased and placed under the sink at home.	Suggested Completion Date:	Actual Completion Date:
	01/18/2019	01/16/2019
	Status: Corrected	

72. Is there documentation showing pets have current vaccination records? 67:42:03:22

Corrections To Be Made:	Agency Action:	
Provider only had proof of updated shot records for one of two dogs.	Compliance Plan	
Provider obtained proof of updated vaccination records from vet and filed them at home.	Suggested Completion Date:	Actual Completion Date:
	02/15/2019	02/15/2019
	Status: Corrected	

74. If caring for children under 4 yrs. of age, are all unused electrical wall sockets covered? 67:42:03:11.07

Agency Action:		
Compliance Pla	Compliance Plan	
Suggested Completion Date:	Actual Completion Date:	
01/16/2019	01/16/2019	
Status: Correct	ted	
	Compliance Pla Suggested Completion Date:	

01/15/2019	Rachel Holm	01/15/2019
Date	Inspector Signature	Date