Family Day Care Inspection Compliance Plan

Provider's Name: Michelle Tronvold City: Yankton Provider Number: 014508287

Inspector: Stacy Wildermuth Date of Inspection: 02/14/2019 Time of Inspection: 8:15 AM

The items listed below are those that the provider was not in compliance with at the time of the inspection.

A. Provider's Practices/Maximum Capacity/Care of Children

18. Does the provider stay on the same level of the home as the children or is able to hear them and expeditiously respond to their needs when caring for children under the age of three years? 67:42:03:15

Corrections To Be Made:

Two children under 2 old years were downstairs sleeping while the other children and the provider were upstairs. Children were not monitored until all went downstairs.

Correction: The provider installed an audio baby monitor in the sleeping area of the infants/toddlers so she is able to hear them when they are sleeping and expeditiously respond to their needs.

Agency Action:

Compliance Plan

Suggested Actual Completion Completion Date: Date:

02/14/2019 02/15/2019

Status: Corrected

B. Record Keeping/Fire Safety & Emergency Weather Drills

30. Does each child's record contain all required information? 67:42:16:13

Corrections To Be Made:

CH - Immunization Records BS - Immunization Records

TS - Immunization Records

Agency Action:

Compliance Plan

Suggested Actual Completion Completion Date: Date:

02/22/2019 02/26/2019

Status: Corrected

Michelle Tronvold	02/14/2019	Stacy Wildermuth	02/14/2019
Provider Signature	Date	Inspector Signature	Date