Family Day Care Inspection Compliance Plan

Provider's Name:	Shannon Stores	City:	Belle Fourche	Provider Number:	016598444
Inspector:	Terra Robbins	Date of Inspection:	06/04/2020	Time of Inspection:	11:15 AM

The items listed below are those that the provider was not in compliance with at the time of the inspection.

B. Record Keeping/Fire Safety & Emergency Weather Drills

30. Does each child's record contain all required information? 67:42:16:13

34. Has the provider completed six hours of training in at least three topic areas in the past year? Of those hours, only three are limited to reading or watching TV or video etc. 67:42:03:07.02

Corrections To Be Made: Provider completed 4 of the required 6 hours of training for 2019. The	Agency Action: Compliance Plan			
Provider completed the additional 2 hours of training in February 2020 to meet the training requirements for 2019. The Provider understands and agrees to complete a minimum of 6 hours of training in three separate training topics for 2020. This issue was addressed and corrected at the time of inspection.	Suggested Completion Date: 06/04/2020	Actual Completion Date: 06/04/2020		
	Status: Corrected Immediately			

C. Health & Safety Features of the Home - Indoor Environmental Observations

65. Are fire arms, ammunition, matches, lighters, archery equipment, and cords on window blinds stored in an area or manner inaccessible to children? 67:42:03:21

Corrections To Be Made:	Agency Action:	
Window cords in back bedroom were hanging down near the floor and accessible to children. Corrected on-site, tied up at top of blinds.	Compliance Plan Suggested Completion Date:	Actual Completion Date:
	06/04/2020	06/04/2020
	Status: Corrected	Immediately

75. Is there an operating smoke detector with audible alarm located on each level of the home (regardless if level is used for care of children or not)? 67:42:03:11.02

Corrections To Be Made:	Agency Action:		
No smoke detector downstairs (bracket available but detector is missing). Get a smoke detector installed downstairs as soon as possible. Correction: The Provider installed a smoke detector on the lower level.	Compliance Plan		
	Suggested Completion Date:	Actual Completion Date:	
	06/05/2020	06/05/2020	
	Status: Corrected		

D. Health & Safety Features of the Home - Outdoor Environmental Observations

81. Is the outside play area free of litter, trash, weeds and other hazardous materials? 67:42:03:17

Corrections To Be Made:	Agency	Action:	
Outdoor shed is not locked, and has gas cans stored near entrance. Ensure shed is locked when children are present. Correction: The Provider installed a lock on the shed.	Suggest Comple Date: 06/12/2	tion	Actual Completion Date: 06/05/2020

Shannon Stores

06/04/2020

Inco

06/04/2020

Provider Signature

Date

Inspector Signature

Terra Robbins

Date