Family Day Care Inspection Compliance Plan

Provider's Name: Pamela Stefanich City: Sioux Falls Provider Number: 018033020

Inspector: Lara Kvale Date of Inspection: 05/07/2018 Time of Inspection: 8:32 AM

The items listed below are those that the provider was not in compliance with at the time of the inspection.

B. Record Keeping/Fire Safety & Emergency Weather Drills

30. Does each child's record contain all required information? 67:42:16:13

Corrections To Be Made:

Agency Action:

LA - Emergency Contact, Emergency Permission, Immunization Records

Compliance Plan

Suggested Actual Completion Completion Date: Date:

05/11/2018 05/08/2018

Status: Corrected

32. Do provider and helper records contain all required information? 67:42:03:07.03

Corrections To Be Made:

Agency Action:

TS - C A/N Report Statement

Compliance Plan

Suggested Completion Date:

Actual Completion Date:

05/08/2018

05/08/2018

Status: Corrected

42. Does the provider have documentation showing four fire drills and one tornado drill was conducted in the past year? 67:42:03:11.03

Corrections To Be Made:

3 fire drills and 1 tornado drill were completed and documented in 2017.
Complete and document at least 4 fire and 1 tornado drill each year.

Speak to DSS.

Compliance Plan

Suggested
Completion
Date:

05/08/2018

Status: Corrected

Status: Corrected

Pamela Stefanich05/07/2018Lara Kvale05/07/2018Provider SignatureDateInspector SignatureDate