Family Day Care Inspection Compliance Plan

Provider's Name: Linda Puthoff City: Sioux Falls Provider Number: 018033316

Inspector: Dwight Johnson Date of Inspection: 09/23/2019 Time of Inspection: 8:00 AM

The items listed below are those that the provider was not in compliance with at the time of the inspection.

B. Record Keeping/Fire Safety & Emergency Weather Drills

30. Does each child's record contain all required information? 67:42:16:13

Corrections To Be Made:

KB - Immunization Records HT - Immunization Records Agency Action:

Compliance Plan

Suggested Completion Date: Actual Completion Date:

10/23/2019 10/07/2019

Status: Corrected

42. Does the provider have documentation showing four fire drills and one tornado drill was conducted in the past year? 67:42:03:11.03

Corrections To Be Made:

The Provider reports that the annual fire and tornado drills were completed but not documented. The Provider was informed that the dates of the four annual fire drills and one tornado drill need to be documented.

***The dates of the annual fire and tornado drills were received from the Provider.

Agency Action:

Compliance Plan

Suggested Completion Date:

Actual Completion Date:

10/23/2019

10/07/2019

Status: Corrected

D. Health & Safety Features of the Home - Outdoor Environmental Observations

90. Did the Provider obtain orientation training in the topic of child development by 11/30/2018?

Corrections To Be Made: The child development training has not been completed.			Agency Action: Compliance Plan	
		ted.		
***Verification for the co received from the Provice	mpletion of the child develor ler.	oment class was	Suggested Completion Date:	Actual Completion Date:
			10/23/2019	10/09/2019
			Status: Correct	ed
uthoff	09/23/2019	Dwight John	son	09/23/201

Inspector Signature

Date

Date

Provider Signature