

Facility Safety Inspection Fire & Life Safety / Environmental Health Before & After School Center - School Location Compliance Plan

Provider's Name: **Kids Inc. - Robert Frost**

City: **Sioux Falls**

Provider Number: **018042326**

Inspector: **Lara Kvale**

Date of Inspection: **03/07/2018**

Time of Inspection: **3:56 PM**

The items listed below are those that the provider was not in compliance with at the time of the inspection.

C. FOOD SERVICE

42. Are dining tables sanitized before and after the next meal or snack with a solution of one ounce household bleach to two gallons of water? 67:42:11:07 NOTE: Bleach solution strength is diluted as it sits, so a new solution should be prepared daily.

<p>Corrections To Be Made:</p> <p>The bleach spray used on dining tables is 100ppm. Follow the provided bleach mix chart and measure carefully. 200ppm Cl is needed for sanitizer for dining tables.</p>	<p>Agency Action:</p> <p>Compliance Plan</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">Suggested Completion Date:</td> <td style="width: 50%;">Actual Completion Date:</td> </tr> <tr> <td style="text-align: center;">04/07/2018</td> <td style="text-align: center;">04/12/2018</td> </tr> </table> <p>Status: Corrected</p>	Suggested Completion Date:	Actual Completion Date:	04/07/2018	04/12/2018
Suggested Completion Date:	Actual Completion Date:				
04/07/2018	04/12/2018				

Rene Rodig

03/07/2018

Provider Signature

Date

Lara Kvale

03/07/2018

Inspector Signature

Date