

Family Day Care Inspection Compliance Plan

Provider's Name: **Lori Ryken**

City: **Yankton**

Provider Number: **019516531**

Inspector: **Stacy Wildermuth**

Date of Inspection: **06/25/2020**

Time of Inspection: **8:45 AM**

The items listed below are those that the provider was not in compliance with at the time of the inspection.

B. Record Keeping/Fire Safety & Emergency Weather Drills

30. Does each child's record contain all required information? 67:42:16:13

<p>Corrections To Be Made:</p> <ul style="list-style-type: none"> CB - Immunization Records EG - Immunization Records CH - Immunization Records EL - Immunization Records EL - Immunization Records BM - Immunization Records 	<p>Agency Action:</p> <p>Compliance Plan</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">Suggested Completion Date:</td> <td style="width: 50%;">Actual Completion Date:</td> </tr> <tr> <td style="text-align: center;">07/09/2020</td> <td style="text-align: center;">07/15/2020</td> </tr> </table> <p>Status: Corrected</p>	Suggested Completion Date:	Actual Completion Date:	07/09/2020	07/15/2020
Suggested Completion Date:	Actual Completion Date:				
07/09/2020	07/15/2020				

C. Health & Safety Features of the Home - Indoor Environmental Observations

69. Is the hot water temperature at hand washing sinks maintained at 120 degrees or lower?
67:42:03:11.05

<p>Corrections To Be Made:</p> <p>In the restroom on the lower level, the hot water temperature measured at 125 degrees.</p> <p>The hot water temperature must be maintained 120 degrees or lower.</p> <p>Correction: The provider installed an anti-scald guard feature for her hand sink to ensure the hot water temperature does not exceed 120 degrees.</p>	<p>Agency Action:</p> <p>Compliance Plan</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%;">Suggested Completion Date:</td> <td style="width: 50%;">Actual Completion Date:</td> </tr> <tr> <td style="text-align: center;">07/02/2020</td> <td style="text-align: center;">07/15/2020</td> </tr> </table> <p>Status: Corrected</p>	Suggested Completion Date:	Actual Completion Date:	07/02/2020	07/15/2020
Suggested Completion Date:	Actual Completion Date:				
07/02/2020	07/15/2020				

Lori Ryken

Provider Signature

06/25/2020

Date

Stacy Wildermuth

Inspector Signature

06/25/2020

Date