## **Facility Safety Inspection** Fire & Life Safety / Environmental Health **Licensed Day Care Programs Compliance Plan**

Provider's Name: Bright Beginnings Children's Provider Number: 019521604 City: Beresford

Center

Inspector: Kelly Gnat Date of Inspection: 10/01/2019 Time of Inspection: 8:52 AM

The items listed below are those that the provider was not in compliance with at the time of the inspection.

## **B. ENVIRONMENTAL HEALTH**

23. If caring for infants, is there a diaper-changing table, properly constructed & maintained with smooth non-absorbent top? 67:42:11:06.01

Corrections To Be Made:

The diaper changing pads in the upper and lower level bathrooms have tears and are not smooth and easily cleanable. The changing pads need to be replaced.

\*\*\*The diaper changing pads have been replaced.

Agency Action:

## Compliance Plan

Suggested Actual Completion Completion Date: Date:

10/01/2019 10/07/2019

Status: Corrected

43. Is the heating and cooling system maintained and inspected annually? 67:42:11:12

Corrections To Be Made:

There is not documentation onsite for a current heating and cooling system inspection. Verification of an annual inspection is needed.

\*\*\*The heating and cooling system inspection was completed on 10/17/19.

Agency Action:

**Compliance Plan** 

Suggested Actual Completion Date:

Completion Date:

10/01/2019 10/18/2019

Status: Corrected

Kari Peterson	10/01/2019	Kelly Gnat	10/01/2019
Provider Signature	Date	Inspector Signature	Date