

Facility Safety Inspection Fire & Life Safety / Environmental Health Licensed Day Care Programs Compliance Plan

Provider's Name: **Stepping Stones**

City: **Yankton**

Provider Number: **019522405**

Inspector: **Stacy Wildermuth**

Date of Inspection: **09/18/2019**

Time of Inspection: **9:00 AM**

The items listed below are those that the provider was not in compliance with at the time of the inspection.

C. FOOD SERVICE

93. Is kitchenware and food contact surfaces of equipment washed, rinsed and sanitized after each use and following any interruption of operations? 67:42:11:07

<p>Corrections To Be Made:</p> <p>The sanitizing cycle button on the dishwasher was not turned on while the dishwashing cycle was going through.</p> <p>The sanitizing cycle button on the dishwasher must be selected in order for the hot water temperature to reach 150F.</p> <p>Correction: The sanitizing cycle button was immediately turned on during the inspection.</p>	<p>Agency Action:</p> <p>Compliance Plan</p> <table style="width: 100%;"> <tr> <td style="width: 50%;">Suggested Completion Date:</td> <td style="width: 50%;">Actual Completion Date:</td> </tr> <tr> <td style="text-align: center;">09/18/2019</td> <td style="text-align: center;">09/18/2019</td> </tr> </table> <p>Status: Corrected Immediately</p>	Suggested Completion Date:	Actual Completion Date:	09/18/2019	09/18/2019
Suggested Completion Date:	Actual Completion Date:				
09/18/2019	09/18/2019				

Hollie Pearson

Provider Signature

09/18/2019

Date

Stacy Wildermuth

Inspector Signature

09/18/2019

Date