# Program Inspection Licensed Day Care Programs Compliance Plan

Provider's Name:	Bright Beginnings II	City:	Beresford	Provider Number:	019522722
Inspector:	Shannon Terhark	Date of Inspection:	04/16/2019	Time of Inspection:	11:33 AM

The items listed below are those that the provider was not in compliance with at the time of the inspection.

#### **B. Program Practices**

11. Do staff ensure children are given direct care, protection, supervision, and guidance through active involvement or direct supervision? 67:42:16:19

Corrections To Be Made:	Agency Action:	
A staff person needs to be present on the same level as the children while they are napping to provide direct supervision.	Compliance Plan	
***Children will all nap on the upper level of the day care where they will be directly supervised by staff.	Suggested Completion Date:	Actual Completion Date:
	04/16/2019	04/16/2019
	Status: Corrected Immediately	

#### G. Record Keeping, Posting Information, Fire/tornado Drills

38. Does the program post in a visible location a copy of the facility's latest Inspections or Program & Facility Safety Inspections and Child Care Licensing Inspection Summary? And if on a CAP, does the program have a copy of the plan available at request? 67:42:16:17

	Status: Correct	Status: Corrected Immediately		
	04/16/2019	04/16/2019		
***The current Program Inspection has been posted.	Suggested Completion Date:	Actual Completion Date:		
The 2018 Program Inspection was not posted.	Compliance Pla	n		
Corrections To Be Made:	Agency Action:			

40. Are staff records complete? 67:42:10:09 Note: Staff records are to be maintained at the facility for 6 months following the end of employment.

Corrections To Be Made:	Agency Action:	
CL - Central Registry Check, Sex Offender Registry Check, Criminal Record Check CS - Central Registry Check, Sex Offender Registry Check, Criminal Record Check	Compliance Plan Suggested Completion Date:	Actual Completion Date:
	05/16/2019	05/20/2019
	Status: Corrected	

41. Are children's records complete? 67:42:16:13 Note: Children's records are to be maintained at the facility for 6 months following the date care ceases.

EL - Immunization Records ZL - Immunization Records	Suggested Completion Date:	Actual Completion Date:
	05/16/2019	05/16/2019
	Status: Correct	ad

#### H. Insurance

42. Does the facility have documentation the program has current liability insurance coverage? 67:42:16:16

Corrections To Be Made:	Agency Action:	
The current liability insurance is needed.	Compliance Plan	
***The current liability insurance was received by Child Care Services.	Suggested Completion Date:	Actual Completion Date:
	05/16/2019	05/16/2019
	Status: Corrected	t

#### I. Written Procedures

44. Does the program have a written emergency preparedness and response plan in place which covers all areas required to include: evacuation; relocation; shelter-in-place; lock-down procedures; procedures for communication & reunification with families; continuity of operations; accommodation of infants & toddlers; children with disabilities & children with chronic medical conditions? 67:42:10:10

Corrections To Be Made:	Agency Action:	
Some sections of the emergency preparedness plan are incomplete. All sections need to be completed. ***The updated emergency preparedness plan was received by Child Care Services.	Compliance PlanSuggestedActualCompletionCompletionDate:Date:	
	05/16/2019 Status: Corrected	06/05/2019

## J. Written Program Policies

58. Policies related to requirement for feeding of infants? 67:42:10:10

Corrections To Be Made:	Agency Action:	
The infant feeding policy needs to include that infants will be held while bottle feeding and bottles will not be propped. ***The program policies have been updated to include the required information.	Compliance PlanSuggestedActualCompletionCompletionDate:Date:	
	05/16/2019	05/24/2019
	Status: Corrected	

# **Miscellaneous Rule Violations**

## 61:15:01 - Fire Safety Standards

Corrections To Be Made:	Agency Action:	
The doorknob at the top of the stairway needs to be replaced with a standard doorknob. The current doorknob can be locked from the outside of the stairwell preventing occupants of the lower level accessing the upper level if the door is locked.	Compliance Plan Suggested Completion Date:	Actual Completion Date:
***The doorknob has been replaced at the top of the stairs.The new doorknob does not have a lock.	05/16/2019	05/24/2019
	Status: Corrected	

Kari Peterson

04/16/2019

Shannon Terhark

04/16/2019

Provider Signature

Date

Inspector Signature

Date