## **Facility Safety Inspection** Fire & Life Safety / Environmental Health **Licensed Day Care Programs Compliance Plan**

Provider's Name: Bright Beginnings II Provider Number: 019522722 City: Beresford

Inspector: Kelly Gnat Date of Inspection: 10/01/2019 Time of Inspection: 9:45 AM

The items listed below are those that the provider was not in compliance with at the time of the inspection.

## **B. ENVIRONMENTAL HEALTH**

23. If caring for infants, is there a diaper-changing table, properly constructed & maintained with smooth non-absorbent top? 67:42:11:06.01

Corrections To Be Made: Agency Action:

The diaper changing pad has tears and is not smooth and easily cleanable. The changing pad needs to be replaced.

\*\*\*The diaper changing pad has been replaced.

Compliance Plan

Suggested

Actual Completion Completion Date: Date:

10/30/2019 10/07/2019

Status: Corrected

43. Is the heating and cooling system maintained and inspected annually? 67:42:11:12

Corrections To Be Made:

There is not verification for an annual heating and cooling system inspection. A current inspection of the heating and cooling system is needed.

\*\*\*The annual heating and cooling system inspection was completed on 10/17/2019.

Agency Action:

**Compliance Plan** 

Suggested Completion Date:

Actual Completion Date:

10/30/2019 10/18/2019

Status: Corrected

Amanda Lounsbery	10/01/2019	Kelly Gnat	10/01/2019
Provider Signature	Date	Inspector Signature	Date