



Child Care - Educational

South Carolina DSS
 Child Care Licensing
 1535 Confederate Ave Room 311
 Columbia, SC 29201
 Phone: 803-898-9020
 Fax: 803-898-9029
 Email: <http://childcare.sc.gov/main/general/programs/fls.aspx>

Activity Date: 08/26/20 01:08:35 PM
 Activity Number: I-mcki-20-0066
 Activity Cause: Periodic
 Inspector 1 Name: Danny McKinney
 Inspector 1 Phone: 803-391-9376

Child Care - Educational

Ture Foundations Learning Center
 20303
 1817 Hidden Hills Dr. Main Building
 North Augusta, SC 29841
 Phone: 423-213-2777

Total Violations: 0
 Corrected Violations: 0
 Hours: 0.6667

YOU ARE HEREBY NOTIFIED that this is an official Fire and Health Safety REPORT of the SC DSS Child Care Regulatory Services, in accordance with SC 23 9 30, stating the defects found to exist in the herein referenced structure or building, and further requiring that you as owner, agent, or person in control of said structure or building have 30 days, unless other wise stated below, to complete the specified repairs or improvements. If corrections are not completed within the time set above, both this REPORT and a SUPPLEMENTAL REPORT detailing the failure to comply with the Fire codes will be provided to the licensing department which requested this inspection.

You are further notified that the owner, agent, or party in control of said building or structure may request "Administrative Reconsideration" for finding/s of this REPORT within fourteen (14) days of receipt, by writing to the SCDSS CCL Director at the address above and stating the specified ground for reconsideration.

Children in 24 month and under facilities and 30 month and under facilities are not permitted in any room or area of the facility that has not been approved and permitted. Approved rooms and areas will be identified by a decal on the door frame leading into the approved room or area.

The replacement of existing playground equipment or the installation of new playground equipment must be age appropriate and commercial grade play equipment. The new equipment must be approved before the equipment is installed.

Director:

Name: Tina Camp

Hours of operation approved for:

Facility is approved for: Less than 24 hour care.

Rooms for 24 months old and younger

Number of children 24 mths. 24

Rooms approved for 24 mths. 1

Rooms for 30 months old and younger

Number of children 30 mths. 40

Rooms approved for 30 mths. 3

Violations Corrected.

Are all Fire violations corrected? No violations noted at time of the inspection.

Child Care - Educational

Ture Foundations Learning Center
20303
1817 Hidden Hills Dr. Main Building
North Augusta, SC 29841
Phone: 423-213-2777

Total Violations: 0
Corrected Violations: 0
Hours: 0.6667

Are all Health violations corrected?

No violations noted at the time of inspection

Children 30 months and younger

- 1. Number of rooms approved for children younger than 30 months of age (2 1/2 yrs)?
3
- 3. If providing care for 6 or more children, 30 months (2 1/2 yrs) of age and younger, are they kept in approved room?
Yes
- 4. Does the facility provide care for less than 100 children 30 months (2 1/2 yrs) of age and younger for Group E?
Yes
- 5. Is there a direct exit (36" minimum door) directly to the outside from the approved room for Group E?
Yes
- 6. Does the wall covering of room(s) have a flame spread rating no less than class C?
Yes
- 7. Are portable unvented heaters kept from the room and facility?
Yes
- 8. Are two approved exits provided for rooms with more than 10 children?
Yes
- 9. Is room located on the level of Exit Discharge?
Yes
- 10. Is ramp provided for direct exit where there is a change in elevation instead of steps?
N/A

- 3. Does the facility maintain a closed, sealed and labeled hands free plastic lined receptacle within reach of the diaper changing area to place soiled disposable diapers and wipes separate from other trash?
Yes
- 4. Are the facilities outdoor spaces free from hazards and litter?
Yes
- 5. Does the facility restrict children from all unsafe areas by a fence or barriers of at least 4ft in height
Yes
- 6. Does the facility have measures in place to control insets, rodents and other vermin's to prevent harboring, breeding and infestation on the premises?
Yes
- 7. Does the facility meet applicable lead base requirements?
Yes
- 8. Does the facility store all poisons and or harmful agents in their original labeled containers in a locked and inaccessible area to children?
Yes
- 9. Does the facility maintain clean and sanitary conditions indoors and outdoors, including recreational equipment and furnishings?
Yes
- 10. Does the facility provide at least 1 flushing toilet for every 20 children over 2 years of age, including staff when there is no designated staff restroom?
Yes

Health

- 1. Does the facilities diaper changing station meet the recommendations of the Center for Disease Control and Prevention?
Yes
- 2. Does diaper changing occur only at the diapering changing area or in the bathroom?
Yes

- 11. Does the facility provide toilet training equipment for the children being toilet trained?
Yes
- 12. Is the facilities bathroom completely enclosed?
Yes
- 13. Does the facility clean toilets, toilet seat adapters and sink daily and are in good working condition?
Yes

Child Care - Educational

Ture Foundations Learning Center
20303
1817 Hidden Hills Dr. Main Building
North Augusta, SC 29841
Phone: 423-213-2777

Total Violations: 0
Corrected Violations: 0
Hours: 0.6667

-
- | | |
|---|---|
| <p>14. Does the facility provide liquid or granular soap and disposable towels at each sink?
Yes</p> <p>15. Does the facility provide a smooth and washable floor and wall surface in the toilet area?
Yes</p> <p>16. Does the facility meet the water supply requirements for quality and tested in accordance with DHEC?
Yes</p> <p>17. Does the facility have a water fountain available with an angle jet design, maintained in good working order, sanitary with no possibility of mouth or nose submersion?
N/A</p> <p>18. Is all of the ice used by the facility for any purpose made from an approved source and handled and stored in a sanitary manner?
Yes</p> <p>19. Does the facility outside trash receptacle remain water tight and have a firm fitting lid that prevents the penetration of insects and rodents?
Yes</p> <p>20. Does the facility dispose of all solid waste at a sufficient frequencies to avoid a rodent, insect or vermin problem?
Yes</p> <p>21. Does the facility provide adequate hand washing facilities separate from the food preparation sink with hot and cold water, where the hot water is at least 120 degrees?
Yes</p> <p>22. Does the facility properly label and store food so that it is protected from contamination?
Yes</p> <p>23. Does the facility prohibit the reuse of single service articles?
Yes</p> <p>24. Does the facility store single service articles in closed cartons or containers to protect them from contamination?
Yes</p> | <p>25. Does the facility prohibit the use of common drinking cups?
Yes</p> <p>26. Does the facility staff thoroughly wash their hands and exposed arms with soap and warm water in an approve sink before starting work, during work as often as need to keep them clean?
Yes</p> <p>27. Are fingernails trimmed?
Yes</p> <p>29. Does the facility have accurate thermometers places in conspicuous locations?
Yes</p> <p>30. Does the facility provide food from a source that is approved by the health authority to be clean, wholesome, unspoiled, free from contamination, properly labeled and safe for human consumption?
Yes</p> <p>31. Does the facility prohibit the use of home canned food?
Yes</p> <p>32. Does the facility provide catered meals from an establishment approved by DHEC?
N/A</p> <p>33. Does the facility thoroughly wash all raw fruit and vegetables before being cooked, served or placed in the refrigerator?
Yes</p> <p>34. Does the facility wash, rinse and sanitize all kitchenware and equipment that come in contact with food?
Yes</p> <p>35. Does the facility clean all surfaces to be free of the accumulation of dust, dirt and other debris?
Yes</p> <p>36. Does the facility use a test kit or other device to accurately measure the part per million in the concentrate solution?
Yes</p> <p>37. Does the facility store utensils that have been cleaned and sanitized above the floor to prevent contamination?
Yes</p> |
|---|---|

Child Care - Educational

Ture Foundations Learning Center
20303
1817 Hidden Hills Dr. Main Building
North Augusta, SC 29841
Phone: 423-213-2777

Total Violations: 0
Corrected Violations: 0
Hours: 0.6667

38. Is bathroom ventilation provided and working properly?

Yes

39. Does the facility use single uses utensils

Yes

Housekeeping and Electrical

1. Is storage in the facility orderly, compact, accessible and away from ignition sources?

Yes

2. Is storage kept clear from mechanical and electrical rooms?

Yes

3. Is storage kept from attic and under floor spaces in facilities not protected?

Yes

4. Are Gasoline containers and equipment kept in approved locations.

Yes

5. Are decorative items and curtains flame resistant or treated and maintained flame resistant?

N/A

6. Do artificial vegetation and plants have manufacturer documentation of flame resistance?

N/A

7. Is student artwork and teaching material within limits established by the International Fire Code?

Yes

8. Does the facility prohibit the use of portable unvented heaters?

Yes

9. Are electrical boxes, receptacles, panels, etc. properly covered?

Yes

10. Are electrical panels properly labeled?

Yes

11. Are multiplug adapters and cords surge protected type only?

Yes

12. Are drop cords prohibited as substitute for permanent wiring?

Yes

13. Is minimum of 30 inches clearance maintained in front of electric panels?

Yes

14. Are portable electric heaters used in accordance with the Fire Code and DSS regulation?

N/A

15. Are Electrical Rooms properly identified?

Yes

16. Are Fire Protection rooms properly identified?

Yes

17. Is placard posted at "K" class fire extinguishers identifying use as backup to suppression system?

N/A

18. Is sign provided at manual fire alarm boxes for fire alarm system that is not monitored?

N/A

Means of Egress

1. Do rated doors close and latch from any open position?

N/A

2. Is exit access maintained clear from obstructions?

Yes

3. Are rated doors provided with self or automatic closures?

N/A

4. Are all doors in the means of egress provided with single action direct acting hardware?

Yes

5. Are all doors in the means of egress free from manual flush or surface bolts?

Yes

6. Are all doors in the means of egress free from deadbolts?

Yes

7. Is "Panic" or "fire exit" hardware provided for egress doors serving and occupant load of 50 or more?

Yes

8. Are fence gates unlocked when used as part of a means of egress?

Yes

Child Care - Educational

Ture Foundations Learning Center
20303
1817 Hidden Hills Dr. Main Building
North Augusta, SC 29841
Phone: 423-213-2777

Total Violations: 0
Corrected Violations: 0
Hours: 0.6667

- | | |
|--|---|
| <p>9. Are wedges or manual hold open devices removed from rated doors?
Yes</p> <p>10. Are EXIT and EXIT directional signs illuminated?
Yes</p> <p>11. Are emergency lights or emergency power for EXIT signs operable?
Yes</p> <p>12. Does the "access control system" provided on any required exit door meet current code requirements?
Yes</p> <p>13. Is proper protection provided for exterior exit landings to prevent accumulation of snow or ice? (required for all facilities licensed after January 1, 2009)
Yes</p> | <p>9. When the fire alarm system is not monitored are permanent signs post next to the pull station stating "When Alarm Sounds Call Fire Department"?
N/A</p> <p>10. Is Sprinkler System Inspected, Tested, Maintained and Documented per NFPA 25 by a SC Licensed person?
N/A</p> <p>11. Are deficiencies noted on Sprinkler System Inspection report/s corrected?
N/A</p> <p>12. Is hood suppression system serviced and maintained every 6 months by a SC licensed Company?
Yes</p> <p>13. Are deficiencies noted on Hood Suppression Inspection report/s corrected?
N/A</p> |
|--|---|

Records and Reports

- | | |
|---|---|
| <p>1. Is written "Fire Evacuation Plan" available in accordance with the International Fire Code?
Yes</p> <p>2. Is "Fire Safety Plan" posted to include Site and Floor Plan?
Yes</p> <p>3. Is the "Fire Evacuation Plan" and "Fire Safety Plan" maintained and reviewed annually?
Yes</p> <p>4. Are employees trained in the contents of the Fire Evacuation and Safety Plan and documented at least annually?
Yes</p> <p>5. Are monthly fire drills conducted in accordance with the International Fire Code?
Yes</p> <p>6. Are fire drills documented in accordance with the International Fire Code?
Yes</p> <p>7. Are deficiencies noted on Fire Alarm Inspection report/s corrected?
N/A</p> <p>8. Is Fire Alarm Inspected, Tested, Maintained and Documented per NFPA 72 by a SC Licensed person?
Yes</p> | <p>14. Is Cooking Hood clean and free from the accumulation of grease?
Yes</p> <p>15. Are Fire extinguishers (and hood suppression) inspected monthly (by employee) and documented on tag?
Yes</p> <p>16. Are Fire Extinguishers serviced and maintained Annually by a SC licensed Company?
Yes</p> <p>17. Is minimum size and number of "K" class fire extinguishers provided for cooking area?
N/A</p> <p>18. Is the emergency power for lights and exit signs tested and documented monthly and annually?
Yes</p> <p>19. Is address number properly posted for facility in accordance with the International Fire Code?
Yes</p> <p>20. Is Fire Department Access to building maintained?
Yes</p> |
|---|---|

Safety

1. Does the facility provide adequate lighting for activities in the corridors and bathrooms?
Yes

Child Care - Educational

Ture Foundations Learning Center
20303
1817 Hidden Hills Dr. Main Building
North Augusta, SC 29841
Phone: 423-213-2777

Total Violations: 0
Corrected Violations: 0
Hours: 0.6667

-
2. Is the facility free from hazards in the floors, walls, ceilings, windows and doors and other surfaces?
Yes
 3. Dose the facility have safety glass in the doors and windows that are within 32 inches of the floor where accessible to children?
Yes
 4. Are decal applied to all glass or sliding patio doors at eye level of children?
Yes
 5. Is all furniture, toys and recreational equipment free from hazards?
Yes
 6. Is all outdoor recreational equipment made of durable, non-rusting, non-poisonous material and are sturdy?
Yes
 7. Have any major changes been made to the facility
N/A

Comments:

This inspection was conducted virtually via face time.

Default Signature Type





Danny McKinney
South Carolina DSS
Child Care Licensing
1535 Confederate Ave Room 311
Columbia, South Carolina 29201
803-391-9376
daniel.mckinney@dss.sc.gov